

• Designed to cut mild steel threaded rod. • Unique die design protects threaded

rod from damage while cutting. • 2x Lifetime by double sided die design.

• No cleaning and deburring work necessary after cut. Just screw on the nut.



SDS MAX & PLUS Masonry Drill Bits. (page 8)

*Prices exclude GST.























Sterling[®]

Commander **25mm Metal Auto Lock**

The Sterling Commander Extra Heavy Duty 25mm Cutter has a STRONG AUTO-LOCK SYSTEM for fast, safe blade adjustments

- Metal clip and blade snapper on back of cutter
- Wider and thicker 0.7mm blade reduces flex in heavy cutting
- Ribbing on body to provide secure grip
- · All metal construction is durable and strong



Sterling

25mm Snap Blade Pack of 10



- Stay sharp with Sterling snap-off blades.
- Just a quick snap of the blade end and you're ready to go with a new sharpened end.
- Wider, thicker, stronger for heavy duty use.
- Suits 700-1 and 701-1 Cutters and other common 25mm Knives.
- Made in Sheffield-England.



Ready for the work at any level!

WC-3PS

TUFF Heavy Duty Combination Square No. 53

is built for the professional Kiwi Tradesman. It features precision measurements and levels, and is a strong, reliable long lasting tool.



3 Pcs 12, 19, 25

5 Pcs 6, 12, 19, 25, 32 WC-5PS

Heavy Duty Combination Square

Metric or Metric/Imperial

Suitable for all trades and applications.

- Multi-purpose gauge
- Cast iron stock
- Stainless steel blade
- Inside try square
- Marking gauge
- 45° level
- Depth gauge
- Mitre square
- Outside try square
- Spirit level









Blue finish HSS





Resizable Shank



Shank Diameter

Dia. mm	OAL	Code
14	600	TLSR14600
16	600	TLSR16600
18	600	TLSR18600
20	600	TLSR20600
22	600	TLSR22600
24	600	TLSR24600
26	600	TLSR26600

Sterling

Chalk Refills 226g



Sterling

Aluminium Chalk line Set



Sterling

ABS Plastic Chalk line Set





Comfort Kneepads


- Non marking design prevents marks on finished surfaces.
- High density closed cell foam core gives maximum cushioning plus perforated neoprene lining keeps away moisture.
- Elastic straps with Velcro fasteners
- One size fits all.



Rhino Grip Gel Kneepads

- · Anti-compression air injection gel pad
- Foam core gives maximum cushioning plus perforated neoprene lining keeps away moisture
- One size fits all. Elastic Straps with Velcro fasteners for rapid fit
- Large low profile cap designed to prevent 'roll over' onto hard surfaces







Adjustable Wrenches

firm rubber

grip to avoid slippage



Sterling

ResQ Tool

The Sterling RESQ Vehicle

shatters tempered glass

emergency safety tool includes:

• Steel tipped window punch that

• Flat round steel tipped hammer to open up shattered glass for escape

• Ultra sharp serrated razor blade that



MCC_®

Made in Japan

Quality since

MCC

Adjustable wrench -

26mm up to 49mm opening

• Can be used in tight areas where

the conventional model wont fit.


• Professional quality made of high

Short Handle



1/2" key-less **Drill Chuck**

- 1.5 13 mm chuck
- 1/2" x 20UNF thread






30% more holes

Engineers quality, long lasting (at least 30% more drilling than the next best on the market).

- Titanium Nitride coating reduces heat
- Fully ground M2 HSS.
- 135° Split point

25 Piece 1 - 13mm (in 0.5 increments) Plastic Tuff Box





imperial

85 Piece 1 - 10mm (in 0.5 increments) Metal Case

metric

EUROBOOR

14 Piece Cobalt Drill and Tap Set



Step Drill Sets

DART.

3 Piece Spiral Flute **Step Drill Set**

- Sizes 4-12, 4-20, 4-30mm
- 3 piece



3 Piece Straight Flute Step Drill Set

- Sizes 4-12, 4-20, 4-30mm
- 3 piece





Heavy Duty Nail Buster Auger Bits

Ideal for drilling nail embedded hardwood and softwood, power poles, fence posts & railway sleepers.

- Engineered for fast, smooth, extra heavy-duty drilling
- Hardened screw tip for durability
- Strengthened core structure
- Single cutting edge





 Non-stick coating reduces friction, increases product life and productivity

• Strengthened core structure provides increased bit rigidity





• Shank: 7/16 quick change



330mm



	205	WAH100205
10	330	WAH100203 WAH100330
	457	WAH100330 WAH100457
	600	WAH100437
	205	WAH100000
11	330	WAH110203
	457	WAH110457
	600	WAH110600 WAH120205
10	205	
12	457	WAH120457
	600	WAH120600
	205	WAH127205
12.7	330	WAH127330
	457	WAH127457
	600	WAH127600
	205	WAH140205
14	330	WAH140330
	457	WAH140457
	600	WAH140600
	205	WAH160205
16	330	WAH160330
	457	WAH160457
	600	WAH160600
	205	WAH180205
18	330	WAH180330
	457	WAH180457
	600	WAH180600
	205	WAH190205
19	330	WAH190330
	457	WAH190457
	600	WAH190600
20	330	WAH200330
	205	WAH220205
22	330	WAH220330
	457	WAH220457
	600	WAH220600
	205	WAH250205
25	330	WAH250330
	457	WAH250457
	600	WAH250600
29	205	WAH290205
	330	WAH290330
	457	WAH290457
	600	WAH290600
32	205	WAH320205
	330	WAH320330
	457	WAH320457
	600	WAH320600

Ø mm OAL mm Code





48 Drawer Storage Unit

Powder coated strong steel case with 48 pull out drawers with dividers.

Colours may vary.



Screw Extractors

• Reverse tapered cutting screw thread

• Square head for use with tapping handles

Size mm	Code
#1 (3.74mm)	9SE01
#2 (4.8mm)	9SE02
#3 (6.5mm)	9SE03
#4 (8.33mm)	9SE04
#5 (11.31mm)	9SE05



Cobalt Left handed drills

- 8% Cobalt TiN Coated
- Left hand drill for damaged bolt and screw extraction

Size in	Code
5/64"	9LI564COL
7/64"	9LI764COL
5/32"	9LI532COL
1/4"	9LI14COL
19/64"	9LI1964COL

EUROBOOR

Industrial Die Grinder 600W

Powerful, precise and accurate performer.

Powerful straight electric grinder with precision

ball bearing spindle for a smooth and accurate finish. The strong motor is supported by optimally placed air vents for better performance and longer lifespan. The soft grip provides grip and control.



The Euroboor B45 Beveling machine has been designed with outstanding ergonomics providing optimum handling and safety.

The powerful motor, strong gearing and premium electronics make sure the machine operates as quickly and stable as possible. Specially designed 3-edged milling heads are available in 45°, 30°, or radius (R2.5) and take care of creating perfect finishes with the greatest of ease.









Dustless SDS Plus & SDS MAX Masonry Drills

The TUFF SDS PLUS & SDS MAX DUSTLESS DRILL BITS

have been designed for use in SDS PLUS & SDS MAX rotary hammer impact drills.



Ideal for all masonry applications including hardened concrete.









TUFF DUSTLESS DRILL BITS enables dust-free drilling while complying with the common, stricter standards for health protection.



workspace		

No dust, no messy



Quicker & more efficient results



SDS PLUS

Ø mm	OAL	Code
8	270	TDSP080270
10	270	TDSP100270
12	320	TDSP120320
14	370	TDSP140370
16	370	TDSP160370
18	370	TDSP180370
20	370	TDSP200370
24	370	TDSP240370

SDS MAX

Ø mm	OAL	Code
14	600	TDSXZ14600
16	600	TDSXZ16600
18	600	TDSXZ18600
20	600	TDSXZ20600
22	600	TDSXZ22600
24	600	TDSXZ24600
25	600	TDSXZ25600
28	600	TDSXZ28600
30	600	TDSXZ30600
32	600	TDSXZ32600
35	600	TDSXZ35600

Distributed by: