

# PRODUCT SPOTLIGHT

# **New GT Power Electric Start Inverter Generators**

**Available soon - Order Now to Secure your Generator** 



## 3800W Electric Start Inverter Generator

# GT3800Ei

With 3800W (max) and compact design this single phase 230V inverter generator is ideal for camping, on-site, or house-hold backup.

- 3800W (max), 3500W (cont.)
- Push Button Electric start with EZ recoil backup for easy starting.
- Powerdyne 4-Stroke OHV engine for ultimate durability and reliability.
- 2 x 15A, 230V outlets, 2 x USB outlets.
- · Smart throttle for quiet operation and fuel savings.
- Digital control panel for simplified engine management and parameter monitoring.
- 12V charging capability for easy charging of small 12V batteries.
- · Low oil shutdown helps to prevent generator damage if oil level is low.
















# 4600W Electric Start Inverter Generator # GT4800Ei With 4600W (max) and compact design this single phase 230V inverter generator is ideal for camping, on-site, or house-hold

• 4600W (max), 4200W (cont.)

- Push Button Electric start with EZ recoil backup for easy starting.
- Powerdyne 4-Stroke OHV engine for ultimate durability and reliability.
- 2 x 15A, 230V outlets, 2 x USB outlets.
- Smart throttle for quiet operation and fuel savings.
- Digital control panel for simplified engine management and parameter monitoring.
- 12V charging capability for easy charging of small 12V batteries.
- Low oil shutdown helps to prevent generator damage if oil level is low.



















# **ELECTRIC START** New Stock Arriving Soon

#### **2000W Electric Start Inverter Generator**

# GT2100ESi

With 2000W max output and compact design, this single phase 230V generator is ideal for camping or household backup power.

- 2000W (max.) power output, 1700W (cont.) power output
- Powerdyne 4 stroke, air cooled, OHV industrial engine
- 1 x 15A, 230V outlet, 1 x 8.3A, 12V outlet
- Push button electric start with backup EZ recoil makes starting easy

 Increase power while maintaining the flexibility and convenience of compact design with optional parallel function

· Highly portable and compact under 20kg!

- Up to 7 hours run time
- · Featuring Eco mode button for efficient running
- Wireless remote starting start the generator from 50m away (max).















#### 9000W Electric Start Generator

- includes Battery

# GT10000ESQ

- 9000W (max.) 8000W (cont.)
- Electric start and recoil
- Digital LED Display
- Super duty alternator / copper windings
- Fully welded industrial tube frame
- 25L fuel tank for up to 8hrs run-time
- 1 x 15A 230V outlets
  - + 1 x monster 32A outlet with adapter.

(\$2558.75 incl.gst)



#### 7500W Electric Start Generator

- includes Battery

# GT7000ESQ

- 7500W (max.) 7000W (cont.)
- Ideal for running power tools, workshop equipment and most small caddy welding machines, with super duty alternator / copper windings
- · Industrial air cleaner & muffler system for cleaner, quieter operating
- · Heavy duty solid wheel kit with rubber tyres for portability
- · Electric start and recoil
- 2 x 15A 230V outlets with 27A max.
- 25L fuel tank for up to 13hrs run-time.

(\$2392.00 incl.gst)







# **8000W ELECTRIC START INVERTER GENERATOR**



- 8000W(max.), 7000W (rated)
- Electric start
- Powerdyne engine for ultimate performance and reliability
- Multiple power options with 2x 230V (15A & 32A), 1x 12V DC and USB outlets
- 26L fuel tank for up to 7hrs run-time
- Highly portable with 4-wheels and convenient carry handles

(\$5.744.25 incl.ast)

















**Industrial muffler system -**

**Optional ATS7 Startmaster** 



4-wheels for ultimate maneuverability




## **DIGITAL INVERTER**

#### **7000W Digital Inverter Generator**

#### # GT7005EFi

#### **New Stock Arriving Soon**





Powerful 4 stroke OHV Powerdyne engine

One touch easy starting

1 x 15A, 230V outlet and 1 x 32A for household backup

23L fuel tank for up to 10hrs run-time

Ideal for home back-up, construction sites or emergencies where perfect power is essential.





**ENJOY THE BENEFITS OF** EFI TECHNOLOGY!

- Fuel Savings
- Lower emissions by over 80%
- Lower noise levels

# **CONVENTIONAL GENERATORS**

#### 3800W Generator

#### #GT3600ES

- 3800W (max.) 3200W (cont.)
- Electric start (battery incl.) and recoil
- Capable of running a drop saw and most power tools
- Super portable with heavy duty wheels and handles
- 2 x 230V outlets
- 15L fuel tank for up to 9.5hrs run time
- Ideal for the home workshop or garage.







**New Stock Arriving Soon** 

#### 2800W Generator

#### # GT2600

- 2800W (max.), 2500W (cont.)
- · Industrial air cleaner & muffler system for cleaner, quieter operating
- EZ start recoil for effortless starting
- 2 x 15A 240V outlets
- 15L fuel tank for up to 9.5 hours continuous operation
- · Ideal for power tools, most household appliances or even boiling the jug
- · Super portable ideal for trade, 1 man lift.









#### 5500W Generator

#### #GT5600ES

- 5500W (max.), 5000W (cont.)
- Electric start (battery incl.) with recoil
- Low oil alert + auto engine shutdown
- Industrial air cleaner & muffler system for cleaner, quieter operating
- Super duty alternator / copper windings
- 2 x 15A 240V outlets
- 25L fuel tank for up to 8.5hrs run time
- Ideal for the bach, farm shed or emergency back-up power.





# **28A** Rated **Super Duty Extension Cord**

- **Super Duty Moulded Fittings**
- 2.5mm Copper Cable
- 15A Plug
- **28A Rated Continuous Use**
- **ANZS Approved**

#16895 NOW ONLY



# Liquid FUELSET

#### **The TOTAL Fuel treatment** for all engines...

- Diesel Engines
- Petrol Engines
- Marine
- Small Engines

(\$29.79 incl.gst)

**200ML** 





























## **WET & DRY VACUUMS**

#### 50L 1600W Wet & Dry Industrial Vacuum

# VMVK1650SWDC

Powerful 1600W motor and synchronised start on a 50L tank. Ideal for builders, car valet and workshops - built for tough environments!

- · 50L stainless steel tank
- 7.5m power cord & 3.5m hose
- Dual action floor tool, crevice tool and 2 x extension wands
- · Hepa filtration
- · Cartridge and bag filtration
- · 12 month warranty.

**NOW ONLY** 





#### with Powertool connection socket!





## www.vacmaster.co.nz

#### 2000W 65L WET & DRY INDUSTRIAL VACUUM

#WINDY265IF

- · Powerful twin 1000W motors (2000W)
- Stainless steel tank
- · Ideal for all tradesmen, workshops and valet
- Super heavy duty construction for a lifetime of use
- · Bag filtration (cartridge optional)
- 12 month warranty

**NOW ONLY** 

www.lavor.co.nz



#### 3000PSI 11L/min PETROL WATERBLASTER

# PS3000HD

- 6.5HP HONDA™ GX200 OHV Commercial Series engine
- CAT PUMPS® Industrial Triplex pump
- Powder coated frame

10" pneumatic tyres

15m tough, high pressure Monster Hose™

24 month warranty with product registration.



#### 2900PSI 8.8L/min PETROL WATERBLASTER

# PJ3000RS

- 7HP
- Adjustable pressure with 4 quick connect nozzles to help tackle a variety of jobs
- Pneumatic wheels for portability and stability.
- Ideal for cleaning the driveway, 4WD, deck and more
- 12 month warranty.

**NOW ONLY** 

(\$776.25 incl. ast)



**POWERSHOT 18" ROUND FLOOR CLEANER** 

#PS18SSFC

 Suitable for machines 3000psi and 12L/min or greater

Designed for use with the PS3000HD.

**NOW ONLY** 

(\$799.25 incl. gst)

#### **POWERSHOT 21" HEAVY DUTY SURFACE CLEANER**

# PS21SSFC

- Suitable for machines 4000psi and 17L/min or greater
- Designed for use with the PS4200HD.
- These rotary cleaners make quick work of cleaning tasks on footpaths,

forecourts and carparking areas.

**NOW ONLY** 

(\$914.25 incl. gst)



# WHY kranzle ?

#### All Kranzle machines include these industrial features:











#### **Solid Brass Pump Head**

10 year guarantee on pump head! The pump head is manufactured by Kränzle in Germany from forged special brass and guarantees an extremely long corrosion free life with a 10 year guarantee.



Slow running, silent and durable!

The machines (except for KHD7/122TS & KHD10/122TS) are equipped with slow running, silent and durable quadripolar industrial quality electric motors (1400rpm).



Excellent thermal conductivity and extremely low-wear All units are equipped with ceramic coated stainless steel plungers. This excellent feature of stain-less steel plungers include, excellent thermal conductivity, hard ceramic coating (extremely low Wear) This serves to considerably increase the service life of our systems - No cracked ceramic plungers!



#### **Dry-Run Safety**

Protecting the life of your machine All pumps are equipped with a fabric sleeve and a Teflon graphite back ring. The superior gliding properties of Teflon graphite serve to reduce both the friction resistance and temperatures in the pump. As a result, the systems can be operated undamaged without water for a certain period = dry-run safety.



Breakdowns due to corrosion are impossible! All parts of pump and safety devices that are in contact with water are made of stainless steel or special brass.



#### **Bypass Operation**

Significantly pronlonged service life All machines switch over to a low pressure bypass operation as soon as the gun is closed. The water is circulated with a residual pressure of approx. 10 bar. Machines with the additional option of total-stop switch off completely at this point. Pump and motor are shut down resulting in a significantly prolonged service life, as well as energy savings.

#### **Continuously Adjustable Pressure & Water Control**

Easy to use and easy to handle

For all machines, the operating pressure and thus the amount of water can be exactly adjusted to suit the cleaning task.











#### **Quality Pressure Gauge**

Kränzle quality in every detail All machines are equipped with a large conveniently located glycerine filled stainless steel pressure gauge.



#### **Build Quality**

Kränzle's Q.C. checks involve stringent testing of every machine!

An individual checklist is yours to see with every parameter checked before leaving the Kränzle factory. This ensures Kränzle's reliability record is kept 100% from day one.



#### **The Pump Assembly**

Innovation with a view to quality and long life service While all the innovative features of the Therm pump/ inloader assembly are too numerous to cover, some of the following stand out. Patented unloader assembly ensures no load under bypass conditions, safety devices, brass pump head (10yr guarantee), stainless steel valves, ceramic pistons and much more. The use of the ultimate components produces the ultimate pump.

#### **Hose Drum Options**

The accessory you have always wanted now included! Kränzle's hose drums include 20m of high quality steel braided hose, rotation lock and easy access. You'll wonder

how you could have used a unit without this extremely practical option.



#### **Safety Devices**

Made

Germany

in

- A pressure control valve for continuously variable adjustment of water quantity and pressure. This valve also allows for pressureless bypass operation.
- A safety valve protecting the machine against excessive overpressure.
- An integrated flow monitor device switches the burner off if the water flow is too low, thus preventing the combustion chamber from overheating.
- A pressure monitoring device only allows burner to operate if there is sufficient
- An additional differential pressure switch automatically switches the machine to stand-by 30 seconds after the trigger gun is released
- Thermal overload switches off machine in case of excessive power consumption.

# **Heavy Duty Three Phase Steam Cleaners**



- The best in the business!

Adjustable pressure and temp. control up to 140°C, destroying grease and grime quickly and easily. Featuring a 25L fuel tank for long operating times and dry

run protection for peace of mind on work sites. Ideal for cleaning trucks. tractors, concrete and heavy duty jobs - built to last a lifetime! Features include a 20m hose on drum, 4 way safety system with overload protection and continuously adjustable pressure & digital temperature control.





2830psi

14.9L/min cleaning power



#KTH895-1

(\$10,689.25 incl.gst)



# CLEANING Kranzle LAXORE

Diala Demo

## **STEAMCLEANERS**

#### 1885psi Compact Therm Steam Cleaner

# CA11/130

1885psi and 11L/min cleaning power make the CA11/130 the ideal choice for destroying grease and dirt in truck workshops, farm environments and in other heavy use applications.

· 4 way safety system with overload protection

Industrial single phase steam cleaner with 5m power lead

- Slow speed 1400rpm for a lifetime of reliability
- Optional integrated hose drum
- Up to 140°C steam level
- Brass pump head.



#### 1885PSI STEAMCLEANER/COLD WATERBLASTER

Single phase, 1885psi - 10 L/min cleaning power!, 140°C makes short work of grease, grime

Ceramic coated stainless steel

- pistons (anti-crack) 10m steel braided high pressure
- hose
- On board detergent tank (low pressure application)
- Diesel fired hot water up to 140°C
- 12 month warranty
- Made in Italy.

(\$4364.25 incl.gst)



#### **1885PSI HP STEAM CLEANER**

# KTH635/1

BEST IN SINGLE PHASE! - with 1885psi, 10.6L/min cleaning power and adjustable pressure and temperature up to 140°C for destroying grease and grime. Ideal for heavy industries such as farming, truck workshops and food processing.

· 4 way safety system with overload protection

- · Continuously adjustable digital temp.control
- . 1400rpm built to last a lifetime!
- · 20m hose on drum
- 24 month commercial warranty





#### 2900psi Three Phase Steam Cleaner

# HYPER2015-INOX

Three phase powerful 2900psi - 15L/min cleaning power! Commercial duty steam cleaner/cold water blaster. Designed & manufactured specially for heavy applications such as diggers, trucks & farming applications

- · 10m high pressure wire weave hose
- Long life 1450rpm pump and motor
- 22L diesel tank, 6.6L/hr diesel consumption
- Elastic pump coupling for quiet operation
- 12 month warranty
- Made in Italy.







# 1740PSI HIGH PRESSURE WATERBLASTER

2030psi + 11L/min working pressure making short work of most industrial jobs. Packed full of features and complete with 15m steel wire hose, stainless steel lances including 'dirtkiller' turbo lance and fan jet lance with graphite packed seals for dry-run safety, this machine is designed to be your life partner in cleaning!

- · Continuously adjustable pressure and quantity control
- Brass pump head + ceramic coated pistons
- High pressure detergent application.



(2409.25 incl.gst)









# Dependable, Safe, Instant Heat for Workshops, Construction Sites, Farms, **Garages or any Outdoor Heating Need**

# KEROSENE / DIESEL HEATERS



WORK SAFE APPROVED BUR1701 | BUR1702





RPH75R

70,000 BTU Silent Drive Radiant Heater

- Ultra portable only 13kg!
- 21kW 162m2 heating
- 15 litre tank for up to 7 hrs heating
- Built in thermostat
- Multi fuel capable
- Only 71dBA @ 1m.



HEAT OUTPUT

70,000 BTU

OPERATES UP TO 7 HOURS HEATING AREA 162m<sup>2</sup>



WORK SAFE APPROVED
BUR1701 | BUR1702

FORCED AIR











- Ultra Portable only 13kg!
- 21kW 158m2 heating
- 19 litre tank for up to 9 hrs heating
- **Built in thermostat**
- Multi fuel capable
- 80dBA @ 1m.

(\$776.25 incl. gst)

OPERATES UP TO 9 HOURS

158m<sup>2</sup>

- High performance fan

- Auto shut-off if power if internal temperature is exceeded or flame is extinguished

- Rugged steel body, heavy duty motor and operating components

- Fill with fuel, plug into approved power source and enjoy

- Unmatched quality and performance.

PRODUCT SPECIFICATIONS / FEATURES:				
Model:	RPH75R	RPH700KFA	RPH1250KFA	RPH2150KFA
Heat Output: (BTU)	70,000	70,000	125,000	215,000
Hot-Air Flow: (CFM)	-	240	540	670
Heat Type:	Silent Drive	Forced Air	Forced Air	Forced Air
Fuel Tank Capacity: (L)	15	19	38	49
Fuel Consumption: (L/Hr)	2	2	3.6	6.1
Max Operating Hours: (approx.)	7	9	10	8
Heating Area: (M2)	162	158 /	288	492
Multi-Fuel Capable:	<b>√</b>	✓	✓	✓
dBA Rating: (@ 1m)	71	80	82	86
Weight: (net kg)	13	13	24	30
Dimensions: (L x W x H cm)	51 x 34 x 54	76 x 30 x 38	99 x 58 x 66	109 x 69 x 66
VALUE ADDED FEATURES:	/		,	
Error Indicator Light:	✓,	<b>√</b>	<b>√</b> ,	
Fuel Gauge:	<b>√</b> ,	<b>√</b> ,	<b>√</b> ,	<b>√</b> ,
Contractor-Grade Fuel Cap:	<b>√</b>	<b>√</b>	<b>√</b>	✓
Intregral Overheat & Flame-Out Safety:	✓,	√,	✓,	✓,
Built-in Thermostat:	✓,	✓,	✓,	✓,
Digital Operation System:	✓	✓	✓	✓





#### **Reduction in Noise**

Approx. 50% noise reduction versus a typical forced air heater.

#### **Cleaner Combustion**

Dedicated combustion air provides tightly controlled air/fuel ratio for optimum combustion.

#### **Precise Temperature Contro**

Convenient thermostat for varied heat output and precise temperature control.

#### **Maintenance Free Operation**

High performance pump does not require replacement or adjustment. No critical air filters to clean/replace.

#### **Cold Weather Performance Guaranteed**

High performance pump - not air pressure sensitive.

#### Increased Efficiency

Energy efficient motor.

#### **Product Durability**

Cool down cycle built in for longer lasting components.

#### Multi Fuel Capable

Conveniently run kerosene or diesel fuel.

www.remingtonpower.co.nz



# Understanding The Importance of Certification Classes

Discussions around correct protection in the workplace from breathing hazardous dusts, and the associated health risks to workers, is becoming increasingly prevelant in the industry. Worksafe NZ are fast moving towards legislation that will make it compulsory to use M-class vacuums for MDF and concrete dusts, just as the UK government has done. Under current legislations any PCBU has a duty to eliminate risks, thus investing in the right vacuum cleaner for dust extraction now will save you being left in the dust.

# International Compliance Identification System



L-Class is suitable for low/moderate risk dust extraction. Low risk dusts include household dusts, general dirt, soils, plaster, aluminium, and some soft wood sawdust etc. With the L-class certification the vacuum cleaner filters catch 99% of dust (under 2 microns), with an exposure limit of >1 mg/m<sup>3</sup>



M-Class is suitable for medium risk dust extraction. Medium risk dusts include cement, concrete, paint, repair compunds, filler, clear coats, sand and wood (including MDF). With the M-class certification the vacuum cleaner filters catch 99.9% of dust (under 2 microns), with an exposure limit of >0.1 mg/m<sup>3</sup>



H-Class is suitable for high risk dust extraction. High risk dusts includes dusts with mould spores, asbestos, crystalline sillica, mineral fibers, bitumen, and artificial mineral fibers (e.g. glass wool). Also included in H-Class are dusts contaminated with carcinogens or pathogens. With the H-class certification the vacuum cleaner filters catch 99.995% of dust (under 2 microns), with an exposure limit of >0.1 mg/m3

All DURAVAC Vacuums come with a high efficiency H13 HEPA filter, consistent suction performance and intergrated filter cleaning system to help you avoid unnecessary exposure to harmful dusts. The NEW DURAVAC PRO SERIES features multi-stage filtration system to further increase filtration efficiency, powertool connection socket with automatic/stop start, speed regulator, LED Warnings and bag full indicators to alert user to clogging issues or full filter to minimise risk of dust exposure.



# PRODUCT SPOTLIGHT











# Wet & Dry Vacuum Cleaners

# New Products PRO30L

#### **L-CLASS RATED**

- 30L Tank
- 1400W
- H13 Hepa Filtration
- Ideal for safe suction of low risk-dust.



















\$495

(\$569.25 incl.gst)

Arriving Soon - order now to secure your machine

# New Products PRO31M

#### **M-CLASS RATED**

- 30L Tank
- 14 00W
- H13 Hepa Filtration
- Ideal for safe suction of medium risk-dust.




















\$695<sub>+gst</sub>

(799.25 incl.gst)



#### **AIR COMMAND - STANDS THE TEST OF TIME**

#### 2.5HP, 9CFM DIRECT DRIVE COMPRESSOR - 50L

# AC10i

Very portable, lightweight single-phase compressor

2.5HP motor and 50L tank for continuous pressure

Direct drive compressor - the largest in the Air Command range.

Suitable for running nailing and stapling tools

- Best displacement: 9cfm, 254L/min.
- Air delivery (@90 psi) 5.8cfm, 165L/min.
- Max. pressure 125psi



#### 3HP Belt Drive Compressor - 50L Tank

# AC15

· Well balanced easy to wheel design

Dashboard for ease of operation and protection of regulator / water trap

- Sturdy construction with steel belt guard
- Ample air supply for most DIY or light trade projects
- Pump displacement 350L/min, 12.4cfm
- Free air delivery 262L/min, 9.3cfm

(\$1,029.25 incl.gst)



Made in Italy

#### 3HP. 16CFM COMPRESSOR - 100L

# AC1600i

- Physically the largest single-phase compressor in the Air Command range with a tank capacity of 100L meaning more air storage and less stops and starts
- Industrial Vemat electric motor with thermal overload protection.
- Heavy duty oversized slow revving, full shell bearing pump with a high air-flow flywheel and built-in after cooler for cooler, drier air supply and longer life.
- Ideal for workshops or the small factory where three phase power is not available.





#### 7.5HP Workshop Three Phase Compressor - 270L

# WS7.5

· Ideal for larger workshops where two or more air tools are required to run simultaneously

· Thermal amp overload protection

2 stage pump, cast bore for long life

After and intercooler for dry air Pump displacement 830L/min,

29.3cfm

Air delivery (@90psi) 630L/min, 22.2cfm



(\$3904.25 incl.gst)

#COMPACT13

- Honda GC, 4.0HP 4 stroke, recoil start.
- Tank design provides roll cage style protection.

**Direct Drive Compressor** 

- Vibration reducing suction feet.
- Ideally suited for on-site work with it's compact, light-weight design (only 24kg!)

(\$3099.25 incl.gst)



#### 15.0HP INDUSTRIAL THREE PHASE COMPRESSOR - 270L

#IND15.0

· Large V4 twin stage pump - ultra efficient Star Delta starter with solenoid valve

for controlled, time delayed start-ups - low amps draw start-up

53.2cfm Air Delivery (@90psi)

1174L/min (41.5cfm)

(\$8159.25 incl.gst)



## HONDA 5.5HP TWIN TANK BELT DRIVE COMPRESSOR - 30L

#AC5.5P

- Genuine Honda GX160 5.5HP 4-stroke engine with recoil start - for quality and reliability.
- · Belt driven two-cylinder pump with idle control reducing both pump and motor RPM when tank pressure reaches set cut-out
- Twin regulated quick coupler outlets
- Wheelbarrow design with large pneumatic wheel for stability and ease of transport
- Perfect for sitework, fencing, utes. or farm jobs
- Best displacement 14.03cfm, 397L/min.
- Air delivery (@90psi) 9.65, 273L/min.
- Max pressure 145psi

(\$2938.25 incl.gst)



# COMPRESSORS

- THE FIRST CHOICE OF INDUSTRY PROFESSIONALS -


#### **Base Mounted Petrol Compressor 8HP**

If you're looking for a robust and portable commercial workhorse, the IRON HORSE AC19P, Petrol Air Compressor is the machine for you!

- Pump Displacement 477L/minFAD 300L/min (10.5cfm)
- Max Pressure 9 Bar

(\$1719.25 incl.gst)

**New Stock Arriving Soon** 



**8.0HP PETROL AIR COMPRESSOR** 

#### - THE FIRST CHOICE OF INDUSTRY PROFESSIONALS -

## **Tradesman 2HP Belt Drive Compressor**

#TM12

- 2HP motor with thermal overload
- 50L tank with filter/regulator
- Heavy duty, slow revving, oversized pump
- Large pneumatic wheels for great manoeuvrability
- Pump displacement 315L/min, 11.1cfm
- Air delivery (@90psi) 252L/min, 8.9cfm



#### 2HP Dairy Compressor - 50L

# D12C

· 2 Stage food grade filtration with desiccant dryer

· Low start up draw, ideal for dairy farms

High airflow flywheel and built-in after cooler for cooler drier air

Single phase

Pump displacement 315L/min, 11.1cfm

Air delivery (@90psi) 252L/min, 8.9cfm

# 3.0HP DIRECT DRIVE COMPRESSOR - 50L

#TA3050

- 3.0hp induction motor
- · 50 litre tank capacity
- Direct drive design
- Super duty cast iron v-twin pump
- 115psi (max.) pressure
- Pump displacement 360L/min, 12.7cfm and a FAD of 300L/min
- · Twin gauge with air regulator
- 1/4" ARO type coupler.

(\$569.25 incl.gst)



# 2.75HP BELT DRIVE COMPRESSOR - 50L

#TA12

• Cast iron pump for long life

· For home workshops or light commercial applications

- · Pump displacement 320L/min, 10.0cfm
- FAD 200L/min
- · Provides ample air supply for most tradesman's tools
- 12 month warranty.

(\$684.25 incl.gst)

TURBO AIR.

# TURBO AIR LLC

# **COMPRESSOR ACCESSORIES**

#### 3/8" Rubber Hose

# AC3406

Premium rubber



#### 3/8" Dessicant Dryer

# AC2085

• Up to 25cfm flow

**Bead Refill available** 

(\$293.25 incl.gst)



#### **WONDER GUN AIR VACUUM**

High suction for difficult applications

Complete with washable bag

Fits standard air fittings.

(\$86.25 incl.gst)





#### 200A MMA/Lift TIG Welder

- # ADVANCEARC205
- IGBT Inverter technology for smooth & stable welding output
- Active PFC technology for increased duty cycle and energy efficiency
  • Increased safety with MMA VRD
- protection mode
- Adjustable arc force and hot start enable good control and ease of use when MMA welding
- · Lift TIG welding operation for precision in aesthetically important welding jobs (torch optional)







#### **INVERTER MMA (STICK) WELDER**

- # EZIARC 165
- Smooth and stable welding output
- Damage resistant industrial casing with front panel protection
- Lightweight and compact design ideal for portable applications.
- Lift TIG welding operation for precision in aesthetically important welding jobs (with TIG torch optional)
- High quality, overspecified components for durability and reliability
- Designed to work with generator power supply with protection from power surges
- Duty cycle 114A@60%

(\$458.85 incl.gst)









#### 250A COMPACT PFC INVERTER MIG/MMA/TIG WELDER

# ADVANCEMIG 255C

- · Digital microprocessor control system with superior & dynamic arc characteristics
- Synergic MIG operation with parameter save/recall, an intuitive, simple setting of controls for consistent welding results
- · Lift TIG operation with down slope and remote current control ability.
- 4 Roll geared metal wire feeder unit provides a powerful and smooth wire feed
- · MIG waveform (inductance) gives good control of the arc for smooth welding results













#### AC/DC TIG/MMA

- # ADVANCETIG205ACDC
- Lightweight & compact design, ideal for portable applications
- Lift TIG and HF start modes gives versatility when welding around sensitive electronic equipment
- · Electronic HF TIG arc ignition system, contamination free and easy arc starting with low EMF interference
- Multi PCB construction is economical to service and repair compared to single PCB design
- Potententiometer torch/ foot pedal remote control with digital up/down button remote control and wireless remote-control options













#### 200A Gas/Gasless Inverter MIG Welder

# WT205MIG

With cutting edge IGBT Inverter Technology the WT205MIG produces professional results every time.





- 4-roll metal wire feed unit
- Reversable polarity MIG welding operation
- MIG duty cycle 200A@15%, 155A@100%
- MMA duty cycle 200A@10%, 155A@100%
- 18 month warranty with registration.

uneld feeld

#### **Multiprocess MMA/TIG/Plasma Cutter**

# WT4015MP

ARC or TIG weld mild and stainless steel, or sever cut material up to 10mm thick all with the same machine!

- 150A DC TIG and MMA, 40A plasma cutter
- MMA VRD protection for increased safety
- · Quick connect inlet fittings for easy switching of gas or compressed air
- Heavy duty steel casing with front panel protection
- Adjustable post flow for increased tip / nozzle life
- Convenient digital controls and display with air regulator and gauge





#### **40A Inverter Plasma Cutter**

# WT40DC

- Lightweight & robust
- Sever cut up to 10mm steel
- Weighs only 9.5kg
- Digital LCD current display for accurate cutting power settings
- 100% duty cycle at 31A
- 18 month warranty with online registration.











Welding







#### 350A SYNERGIC MULTIPROCESS MIG WELDER

#ADVANCEMIG350PACK

State of the art synergic technology with full operational controls on the remote wire feeder makes setup and operation a breeze. Rich in features including a 4 roll wire feeder and integrated protection systems for ultimate safety and reliability.

- Fully Synergic Operation ensures easy setup and operation
- · Optional 10m Interconnect Cable for portability
- CC/CV operation for MIG TIG & MMA(Stick) functions.
- Lift TIG with gas solenoid operation
- · Modular power source/Storage compartment can be upgraded to a watercooler setup easily
- 4WD Geared Wire Feeder Setup for bullet proof reliability with steel or aluminium welding
- Phase loss protection
- Super duty Industrial trolley, fits "G' Bottle











#ADVANCETIG320PACK

The ADVANCETIG Series are at the top of their class featuring state-of-the-art IGBT technology. Results speak for themselves, achieved with top level features such as adjustable arc force, AC wave and a program saving function. Designed tough to last in rugged NZ workshops and on site

- · Adjustable arc force, hot start & automatic anti stick control for greater control and ease of use for MMA welding
- · Lift TIG and HF start modes for versatility when welding around sensitive electronic equipment
- Electronic HF TIG arc ignition system for contamination free and easy arc starting with low EMF interference
- 2T/4T trigger control modes
- Extreme stress testing to 550V in production for rugged reliability
- Dual digital display meters for accurate pre setting and feedback of welding parameters & output.
- · Damage resistant industrial casing with front panel
- Digital up/ down button remote control and wireless optional foot pedal
- · Easy quick connect inlet gas fitting for changing gas bottles.
- Package includes: Powersource, Trolley, Professional TIG Torch, Water Cooler.









#### **40A INVERTER PLASMA CUTTER**

#ADVANCECUT45

Sever cut up to 25mm of carbon steel with intelligent machine and plasma torch protection system. The ADVANCECUT 45 offers a powerful machine in a compact package - ideal for the serious industrial user.

- · Lightweight & robust
- · Ideal for carbon steel and alloy work
- · Sever up to 25mm carbon steel
- · Machine and plasma torch Intelligent protection system
- Auto pilot arc control
- 100% duty cycle at 30A







#### **WELDING TROLLEY** #WT115

Suits small MMA (Stick) TIG and MIG welders.





#### #SSTIGKIT

- · Consumables Kit for TIG Welding
- Comes with Professional TIG Torch Disposable gas bottle, Disposable Regulator and TIG Consumables.





#### # GCW24P

- · Oxy/Acetylene Kit for Plasma Cutting
- · Complete with cutting attachment, torch handle, mixer, combination spanner, tip cleaner set, hose, regulators, cutting nozzles, welding tips, cylinder key, flashback arrestors and goggles.





#### # GCW24P-LPG

- Oxy/LPG Kit for Plasma Cutting
- · Complete with cutting attachment, torch handle, mixer, combination spanner, tip cleaner set, hose, regulators, cutting nozzles, welding tips, cylinder key, flashback arrestors and goggles.





# **WELDING HELMETS**















- · Shade levels 4-13 + open shade 3
- Ultimate 1/1/1/1 optical clarity
- · Strata STC true colour lens
- Intelligent auto technology
- · 5 independent digital arc sensors
- One-touch external GRIND mode selection





#### #WT180

- Shade 9-13
- Wide viewing area (94x42mm)
- Optical rating 1/1/1/2
- Solar battery
- Conforms and exceeds requirements EN379 standard.

(\$51.75 incl.gst)

aneld feeli



incl. PAPR

#### Liteflip

Flip-up welding helmet with automatic shade level adjustment up to shade level 14 makes welding easier. At only 530g the liteflip is one of the lightest flip-up welding helmet available minimising neck and head strain ensuring comfort throughout the day. With twilight ADF technology light is restored more naturally reducing eye fatigue and ensuring a safer, more comfortable working environment.



HELMET only

(\$1,010.85 incl.gst) incl. PAPR

#### **Crystal 2.0 Silver**

With lightstate 2.0 and auto-pilot shades 4-12, this helmet allows you to see clearly through every stage of the welding process. Heat reflective paint helps to keep your head to remain cool even in the toughest heat conditions. Set the sensor detection angle to suit your requirements. Comfort headband offers an optimised weight balance to protect your neck and back from strain.







- TH3 filtration
- 20hr battery
- 250L/min
- deal for MDF fabrication and dusty working environments.



#### Clearmaxx

Unlimited clear view of your workspace, filtered and clear air with adjustable air distribu tion make the clearmaxx the unique face and respiratory protection system with the highest safety level. A rotary switch enables you to feed 20% of the air cooling to the forehead area. Minimized weight of 330g and an ergonomic fit sets new benchmarks in wearing comfort.

All prices exclude gst and valid till end of Aug 2020, or while stocks last.