



Code: ECO.30 **EUROBOOR ECO.36 Low Profile EUROBOOR Mag Base Drill** 36mm Cutting Capacity 30mm Weldon Shank Drillset 6 piece / 6 - 11mm **BONUS** \$250-EUROBOOR

IUFF

8 to 14 gauge

2021

Quick Cut countersinks & Pilot Drills (page 2)

Alpha

Multi purpose

TCT Concrete Drills Straight Shank (page 2)

Alpha Glass & Tile

Spearpoint Drill Bits (page 3)



NEW!

Safety Glasses Economy & Premium (page 4)

DART. Improved Model

Planer Blades Double Sided

(page 5)

IMPERIAL BLADES

Oscillating Blades & Variety Packs (page 6 - 7)



Common mover

Range!

Comfort & Grip Kneepads (page 8)

MCC.

Japanese

Adjustable & Chain Wrenches, Pipe Vises (page 9)



NEW!

HSS Impact Hex Drive Drill Bits (page 10)

EUROBOOR Bevelling Machines (page 6-7)

NEW Models









Code: ECO.36
















#7/M10-M25

5 piece Set

Code: TW-7

TCT Multi-purpose Alpha **Unidre Drills** Straight Shank • Sharpened tungsten tipped for superior performance across a range of materials • Suit: Portable drills. No hammer action (standard jaw chuck) • Ideal for: Masonry, brick, aerated concrete, tiles, plastic, wood, plasterboard, and metal. Size OAL Code mm mm 3.0 70 UNI030070 4.0 85 UNI040085 5.0 85 UNI050085 5.5 85 UNI055085 6.0 100 UNI060100 6.5 100 UNI065100 8.0 120 UNI080120 10.0 120 UNI100120 12.0 150 UNI120150



TCT Multi-purpose Unidre Drills Hex Shank

#6/M6-M20

Code: TW-6

• Sharpened tungsten tipped for superior performance across a range of materials

- Suit: Portable drills. No hammer action (standard jaw chuck)
- Ideal for: Masonry, brick, aerated concrete, tiles, plastic, wood, plasterboard, and metal.

Size mm	OAL mm	Code
3.0	95	UNIHEX030
4.0	105	UNIHEX040
5.0	105	UNIHEX050
5.5	105	UNIHEX055
6.0	115	UNIHEX060
6.5	115	UNIHEX065
8.0	135	UNIHEX080



#0/M3-M12 Code: TW-0

#8/M20-M38

Code: TW-8



Keyless Tapping Chuck / M6 - M12



- Fast & Convenient
- For use of hand & machine taps in cordless drills (no hammer action)
- 1/4" Quick change shank



TCT Thinsheet Alpha Holecutters

- Superior finish and greater durability than the Standard Bi-Metal Holesaws.
- Premium TCT teeth for greater durability and life.
- Fast and clean cutting, suitable for drilling sheet metal, steel pipe, stainless steel, aluminium and fiberglass reinforced synthetic materials.



18mm	HCSTCT18	32mm	HCSTCT32
19mm	HCSTCT19	35mm	HCSTCT35
20mm	HCSTCT20	38mm	HCSTCT38
22mm	HCSTCT22	40mm	HCSTCT40
25mm	HCSTCT25	50mm	HCSTCT50
28mm	HCSTCT28	60mm	HCSTCT60
30mm	HCSTCT30	65mm	HCSTCT65

10150	110310103
	Alpha TCT Thinsheet Holecutter set
10	Set contains:
	16 00 00 05 00 0 40

16, 20, 22, 25, 32 & 40mm TCT holecutters complete with arbors plus 2 spare pilot drills and 2 hex keys

Code: HCSTCTS16-40



GOLD SERIES STEPDRILLS



SPIRAL FLUTE 1/4" SHANK

Self-starting split point removes the need for a pilot hole

TiN coating



4 Flute design

cuts faster with less vibration for fast, clean and accurate holes

Premium HSS M2

raw material



Suits Non-hammer

action portable power drills

4 - 12mm

Code: C9STSFM4-12QR

4 - 20mm

Code: C9STSFM4-20QR

6 - 30mm

Code: C9STSFM6-30QR



1/4" shank quick change


Glass & Tile spearpoint drill bits

- Tungsten carbide tip stays sharper longer
- For best results use plenty of water
- Ideal for: Drilling glass (excluding toughened glass) and all ceramic tiles including PEI4



• Suits: Non-hammer action portable power drills

Code
9GT030
9GT040
9GT050
9GT060
9GT065
9GT080
9GT100
9GT120







The TUFF Impact Adaptor Bits are designed for use in impact drivers.

- Superior Quality
- Full body hardness for longer life
- Premium S2 raw material
- Fully magnetized
- 1/4" Hex shank

TUFF

• 50mm overall length



1/4" - 1/4" Code: TIA14-50

3/8" - 1/4"

Code: TIA38-50

1/2" - 1/4"

Code: TIA12-50

3pc Set

Code: TIASET3-50

Quick Release HSS





Safety Glasses Economy & Premium



- Polycarbonate UV 400 Lens
- Anti-Scratch Lens
- Anti-Fog Coated









Heavy Duty Combination Square No. 53 Metric / Metric - Imperial

- Multi-purpose gauge
- Cast iron stock
- Stainless steel blade
- Inside try square
- Marking gauge
- Suitable for all trades and applications.



• 45° level

• Depth gauge

• Mitre square

• Spirit level

Code: THDCS53M metric Code: THDCS53I






Black Grip Glove

- Multi-layered technology prevents oil penetration while repelling water ensuring excellent grip
- Coating technology ensures the Black Grip has excellent grip in wet, oily environments







Precision ground with 2 cutting edges for extra life

- Reversible for extended life.
- Sharper clearance angles for faster cutting.
- Tough grade of Tungsten Carbide to get the job done.

Planer Blade 82mm Double Sided **Tungsten Carbide**

Compatible with all makes of 82mm planers:

- AEG
- Black & Decker
- Bosch
- Dewalt

- Hikoki Makita
- Metabo Milwaukee
- RyobiStanley
- Worx



Code: PB82

Aluminium DART **Cutting Blades**

Code: TBG-10 (XL) Code: TBG-11 (XXL)











Ventilation Ports for cooler operation



Triple chip tooth grind for super clean cut



Negative rake



can be

resharpened

Dia. mm	Bore mm	Teeth	Code
100	22.23	20	DMB1001620
115	22.23	24	DMB1152224
125	22.23	24	DMB1252224
160	20	60	SNT1602060
180	20	60	SNT1802060
190	20	60	SNT1902060
210	25.4	80	SNT2102580
216	30	80	SNT2163080
235	25	80	SNT2352580
250	30	80	SNT2503080
250	30	100	SNT25030100
255	25.4	80	SNT2552580
255	30	100	SNT25530100
300	30	100	SNT30030100

Suit most

portable

electric

AUSTSAW

PANEL CUTTER BLADE

Engineered for an outstanding performance in panel cutting applications.

- Smooth, clean cut in ell EPS panels
- Double bevelled edges, folds edge when cutting for improved joints.
- Suitable for cutting coolroom panelling, sandwich panelling, freezer panel & thermal panel.

Use with circular saws

150mm



PANEL CUTTER

BORE 25mm KERF 3.0mm **RPM 5,800**

Code: PC15025

AUSTSAW.

5

OSCILLATING BLADE RANGE ★







ONE & FIT



CARBIDE GRIT - DIAMOND GRIT - DRYWALL

Туре	Size	Pack	Code
Carbide	32mm	1 pc	IBOA640-1
Diamond	76mm	1 pc	IBOA730-1
Drywall	4 in 1	1 pc	IBOA800-1



STORM TITANIUM COATING

Up to 30% longer life with coating

CARBIDE TEETH Designed for tough applications









METAL - CARBIDE EXTREME

Size	Pack	Code
35mm	1 pc	IBOAT360-1
35mm	2 pc	IBOAT360-2
35mm	5 pc	IBOAT360-5



STORM TITANIUM COATING

Up to 30% longer life with coating

Reduces strain on individual teeth for better cutting

WAVY TOOTH PATTERN







PVC

IBOATV-15

LONG, THIN BLADE

for cutting in hard-

to-reach areas

specifically designed

METAL/WOOD - STORM TITANIUM

Size	Pack	Code
44mm	1 рс	IBOAT340-1
44mm	3 рс	IBOAT340-3
44mm	10 pc	IBOAT340-10
Variety Pack	3 рс	IBOATV-3
Variety Pack	6 рс	IBOATV-6
Variety Pack	15 pc	IBOATV-15



TO ASSESS

IBOA200-1

SPEARTOOTH BLADE

IBOATV-3

Re-engineered coarse tooth design delivers exceptionally fast aggressive cuts













IBOATV-6







WOOD - SPEARTOOTH FASTCUT

Size	Pack	Code
35mm	1 pc	IBOA200-1
35mm	3 рс	IBOA200-3
64mm	1 pc	IBOA250-1
64mm	3 рс	IBOA250-3

WOOD - EXTENDED PLUNGE BLADES

Size		Pack	Code
32mı	n	1 pc	IBOA133-1
32mı	n	3 рс	IBOA133-3
32mı	n	10 pc	IBOA133-10



IBOAT336-1

STORM TITANIUM COATING

Up to 30% longer life with coating





& Nails

Copper Pipe





ALTERNATING TOOTH PATTERN for fast and smooth cuts







Copper Pipe

WOOD WITH NAILS

Size	Pack	Code
32mm	1 pc	IBOAT336-1
32mm	3 рс	IBOAT336-3
32mm	1 pc	IBOA300-1
32mm	3 рс	IBOA300-3
32mm	10 pc	IBOA300-10
Variety Pack	3 рс	IBOAV1-3

Sterling 30m Chalk line Sets

Aluminium Chalk line Set

- Durable die-cast aluminium housing for strength and stability
- Rewinds 5x faster than standard chalk lines.

includes 1159 blue chalk

Code: CLS-A



ABS Plastic Chalk line Set

- Durable ABS housing with ergonomic rubber grip
- Rewinds 3x faster than standard chalk lines.

includes 1159 blue chalk

Code: CLS-P

Sterling Chalk Refills 226g



Comfort Kneepads Sterling°



Code: 18-550

- Non marking design prevents marks on finished surfaces.
- High density closed cell foam core gives maximum cushioning plus perforated neoprene lining keeps away moisture.
- Elastic straps with Velcro fasteners
- One size fits all.

Rhino Grip Gel Kneepads **Sterling***



Code: 18-530

- Anti-compression air injection gel pad
- Foam core gives maximum cushioning plus perforated neoprene lining keeps away moisture
- One size fits all. Elastic Straps with Velcro fasteners for rapid fit
- Large low profile cap designed to prevent 'roll over' onto hard surfaces

Sterling°

Stealth Auto-loading Knife



The Sterling Stealth knife is the only pocket sized auto loading knife available

- The blade storage section will hold five blades
- Full metal construction makes it almost indestructible
- · Automatic blade loading
- · Highest quality blades
- · Comfortable shaped grip
 - Code: 3038
- Slide-lock retractable blade
- Quick-flip blade change function

Sterling*


Sport and trimming Folding knife



- Compact folding design.
- · Sport and Rescue Blade.
- · Quick change utility blade.
- Handy belt clip.
- Secure rubber grip.
- Multi-use.

Sterling

Utility Blades



- · Made from high Carbon alloy steel precision ground and sharpened to a razor edge







Code: 921-1


Code: 921-4D

Code: 921-2D

MCC. Real tools, Real quality!



Adjustable wrench -**Short Handle** 26mm up to 49mm opening



 Professional quality made of high grade alloy, carbon steel, using a drop forged process.

> 8 - 30mm Code: EMSW-30

8 - 38mm

Code: EMSW-38

Made in Japan Quality since 1916

7 - 26mm

Code: EMSW-26

Code: EMSW-49

12 - 49mm



Made in Japan Quality since 1916

63mm / 2"

Code: PV-0200

90mm / 3"

Code: PV-0201

114mm / 4"

Code: PV-0202

130mm / 5"

Code: PV-0203

Pipe Vises 63, 90, 114, and 130mm capacity

- Hardened high carbon steel jaws, assures firm gripping.
- Special modes for plastic coated pipes available with finer teeth.
- Made from tough ductile iron.

MCC.

Chain wrench 14mm up to 165mm capacity



Made in Japan Quality since 1916

• Designed to provide leverage for work in close quarters.

14 - 49mm

14 - 89mm

Code: MT-0000

Code: MT-0010

17 - 114mm Code: MT-0015

27 - 165mm

Code: MT-0020

MCC

Bolt cutter 350, 450, 600, 750, 900, 1050mm capacity





- and carefully heat-treated for maximum Quality since strength and wear resistance.
- All purpose cuts from soft to hard materials.
- Ideal for cutting Rods & Bolts.
- Clipper style.

350mm Cutter 450mm Cutter 600mm Cutter

Code: BC-0735

Code: BC-0745

900mm

Cutter

Code: BC-0760

750mm Cutter

Code: BC-0775

Code: BC-0790

1050mm Cutter

Code: BC-0710

Alpha Screw Extractor

Screw Extractors

- Reverse tapered cutting screw thread
- Square head for use with tapping handles

Size mm	Code
#1 (3.74mm)	9SE01
#2 (4.8mm)	9SE02
#3 (6.5mm)	9SE03
#4 (8.33mm)	9SE04
#5 (11.31mm)	9SE05

85 Piece Drill Set Alpha **Gold Series**

1.0 - 13.0mm



HSS Impact Hex Alpha Drill Set Gold Series

Quick Change



Cobalt Left X Alpha handed drills

- 8% Cobalt
- Left hand drill for damaged bolt and screw extraction

Size in	
5/64"	9LI564COL
7/64"	9LI764COL
5/32"	9LI532COL
1/4"	9LI14COL
19/64"	9LI1964COL

Double-Ended Panel Drills - 10pc Packs









Alpha

Screw Extractor & Left hand Cobalt Drillset 10pc

For the removal of damaged screws, stud & bolts. Left hand drill bits remove fasteners or creates the pilot hole required for a screw extractor.

135° split point for extra gripping power.

Fully ground HSS Cobalt increases strength & drill life.



ENSURE DRILL IS NOW IN REVERSE

Heavy Duty Left Hand Drills Sizes: 5/64", 7/64", 5/32", 1/4" & 19/64".

Screw Extractors Sizes: #1, #2, #3. #4 & #5.

Code: 9SECOL-SET10



Alpha **Screw Extractor**

Drillset 5pc

Spiral tapered flute for deep embedment which increases grip as the resistance increases.

Reverse tapered flute for extra gripping power.



Screw Extractors Sizes: #1. #2. #3 #4 & #5



lem

strength & drill life.

stud & bolts.

Alpha

Left Hand

135°[©]split point for extra gripping power.


Fully ground HSS Cobalt increases

For the removal of damaged screws,

Cobalt Drillset 5pc

Heavy Duty Left Hand Drills Sizes: 5/64". 7/64", 5/32", 1/4" & 19/64".

Code: 9COL-SET5



- Ultra-smooth operation
- Easy replacement and indexing of cutting plates
- Clear, precise and simple (protected) controls
- Clear indicator for angle-setting
- Suitable for pipe material $\emptyset > 150 \text{ mm}$
- •Wide and soft handles

- Suitable for pipe material $\emptyset > 150 \text{ mm}$
- Clear indicator for angle-setting, up to 60
- Variable speed, including material type indicator
- Extremely suitable for stainless steel
- Wide and soft handles
- Overload protection




TYPE	CONTENTS	CODE
11 piece Electrician's	• 7x Holesaws: 16, 20, 25, 32, 40, 51 & 64mm • Spade bit (TurboBORE): 25mm • Pilot drill: 31/4" • Adaptor: (ARB-ADP) • Small arbor w/ pilot drill: suits 14-30mm holesaws • Large arbor w/ pilot drill: suits 32-250mm holesaws	HSKELW11
11 piece Plumber's	• 7x Holesaws: 19, 22, 30, 35, 44, 51 & 57mm • Spade bit (TurboBORE): 16mm • Pilot drill: 31/4" • Adaptor: (ARB-ADP) • Small arbor w/ pilot drill: suits 14-30mm holesaws • Large arbor w/ pilot drill: suits 32-250mm holesaws	HSKPLW11
13 piece Tradie's	• 10x Holesaws: 16, 20, 22, 25, 32, 35, 38, 40, 51, 54, 64, & 92mm • Pilot drill: 31/4" • Adaptor: (ARB-ADP) • Small arbor w/ pilot drill: suits 14-30mm holesaws • Large arbor w/ pilot drill: suits 32-250mm holesaws	HSKTRW13
16 piece Ultimate Plumber's	• 11x Holesaws: 19, 22, 25, 30, 35, 44, 51, 57, 73, 92 & 114mm • Hex drill set (15 PCE): 1.5 – 6.5mm (9QRM-SET15) • Auger bit (4 Cutter): 16mm (TS4C-16) • Small arbor with pilot drill: suits 14 – 30mm holesaws (ARB-1) • Large arbor with pilot drill: suits 32 – 250mm holesaws (ARB-2) Pilot drill: 31/4" (PLD-1) Adaptor (ARB-ADP)	HSKPLW16
19 piece Electrician's	• 14x Holesaws: 16, 20, 22, 25, 32, 40, 44, 51, 54, 64, 70, 73 & 92mm • Spade bit (TurboBORE): 25mm • Pilot drill: 31/4" • Hex drill set (15pc): 1.5-6.5mm • Adaptor: (ARB-ADP) • Small arbor w/ pilot drill: suits 14-30mm holesaws • Large arbor w/ pilot drill: suits 32-250mm holesaws	HSKELW19
21 piece Tradie's	• 17x Holesaws: 16, 20, 22, 25, 29, 32, 35, 38, 40, 51, 54, 60, 64, 70, 76, 92, & 114mm • Spade bit (TurboBORE): 25mm • Small arbor w/ pilot drill: suits 14-30mm holesaws • Large arbor w/ pilot drill: suits 32-250mm holesaws • Pilot drill: 31/4" • Hex drill set (15pc): 1.5-6.5mm • Adaptor: (ARB-ADP)	HSKTRW21











Distributed by:

Clear markings

8

blade printing

coated blade

Reinforced

dual-hook