TRADE ESSENTIALS

Quick Connect Nozzles: 0°,15°,25°,40°,Soap

FIRST FOR TOOLS, CONSUMABLES AND WORKSHOP EQUIPMENT

> ISSUE 61 1 FEBRUARY – 30 APRIL 2024





See more on Page 16

TOOL KITS THAT HAVE BEEN TESTED TO THE EXTREME

THE MEGA MASTER

- 715 piece tool kit
- A comprehensive selection of tools using 11 of the available 19 drawers ensuring that space is still available to add to the kit if needed
- 26" wide stack of top & middle box with roller cabinet Combination lock
- Iconic TengTools eyes displayed on the top box







Robust storage that can be easily transported to any job. Tools are secure while travelling so you can reduce the risk of loosing tools or wasting time searching for missing tools. You know exactly where every tool is when you need it.

Service Case - Tool Kit



8-19mm

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30 & 32mm

Reg: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 & 13mm

Deep: 6, 7, 8, 10, 12 & 13mm

8 - 18, 19 & 22mm

10" Water Pump Plier, 7" Combination
(Linesman) Plier, 6" Side Cutters & 8"

(Linesman) Plier, 6" Side Cutters & Long Nose Plier

0.5x3.0x75, 1.5x5.5x75 &

0x75, 1x75, 2x100mm

2x100mm

8x75 & 9x75

10x100, 15x100, 20x100, 25x100 & 30x100

Accessories: 72 Teeth Ratchet, Universal Joint, Spinner Handle, Coupler Adaptor, Extension Bars, Wobble Extension Bar, T-Bar Adaptor & T-Handle Hex Key Sizes: 2.5, 3, 4, 5, 6, 7, 8mm

Service Case - Tool Kit



8-19mm

Reg: 4, 5, 5.5, 6, 7, 8, 10, 11, 12 & 13mm

Deep: 6, 7, 8, 10, 12, 13mm

155mm Side Cutting, 200mm Long Nose, 250mm Quick Set Water

4.0 x 101mm (1000V), 6.5 x 100mm

PHI x 81mm (1000V), PH2 x 100mm PZI x 81mm (1000V), PZ2 X 100mm

Hex Keys Ball Point: 1.5, 2, 2.5, 3, 4, 5, 6, 7 & 10mm

TX Keys: TX8, 9, 10, 15, 20, 25, 27, 30, 40
 Service Tools: Tin Snip High Leverage Straight,
 Adjustable Wrench Wide Jaw 200mm, Utility Knife,
 160z Rall Pein Hammer

Accessories: 72 Teeth Ratchet, Extension Bars,
 Adaptor, Coupler Adaptor, Universal Joint, Spark
 Plug Sockets, 7mm Hose Clip Driver, 10mm Quick
 Chuck Bits Driver, 5M Measuring Tape

Service Case - Tool Kit



8-19mm

Reg: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 & 13mm

4" O Deep: 6, 7, 8, 10, 12 & 13mm

8-19 & 22mm

10" Water Pump, 7" Combination (Linesman), 6" Side Cutters, 8"

Long Nose Pliers
0.5x3.0x75, 1.5x5.5x75 & 1.2x6.5x100

PH0x75, PH1x75, PH2x100

PZ2x100mm

\$1110.00 \$1276.50 inc sst

- Service Tools: Measuring Tape, Hacksaw Frame, Utility Knife, Universal Plier, Adjustable Wrench, Ball Pein Hammer
- Accessories: 72 Teeth Ratchet, Universal Joint, Spinner Handle, Coupler Adaptor, Extension Bars, Wobble Extension Bar, T-Bar Adaptor

Service Case - EVA Tool Kit

\$1058.00 inc



8-19mm

4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm

10" Water Pump (One-Hand), 8" Heavy Duty Linesman, 8" Heavy Duty Side Cutter, 8" Long Nose Plier, 5" Side Cutter

3.5x100, 5.5x75, 6.5x38, 5.5x125, 6.5x100

PH0x75, PH1x75, PH2x38, PH2x100

PZ1x75, PZ2x100mm

\$1260.00 \$1449.00 inc \$1449.00 inc

Accessories: Torque Screwdriver, Hex Adaptor, Hand Riveter, Black Rivetes (20pc each): 2.4 (3/32"), 3.2 (1/8"), 4 (5/32") & 4.8mm (3/16"), 147mm Bits Driver Quick Chuck, 1/4" Rachet Head Hex/Square, 50mm Magnetic Bit Holder, 30mm 1/4"M x 1/4"Hex

IMPACT SOCKETS IN NEW STURDY, PORTABLE CASES

DIN standard impact sockets are designed for use with a retaining ring and pin to increase safety when working with air and electrical tools. Therefore, you will find a hole in the socket where you put the locking pin which prevents it from vibrating off of the tool while it's in use.



Impact sockets are designed for higher torsion. Suitable for use with power tools. These new sets are supplied in a fully organised, portable TengTools cases.



























A MODULAR SYSTEM TH


\$185.15 inc

Our tool sets are available in different sizes (1-4 & X2-X4). These can be combined a storage that is portab









IAT FITS ALL STORAGES

to fit perfectly into your chosen storage solution, regardless of whether you have le, 660, 940 or 1346mm.





\$173.65 inc




















PH2x38 & PH3x150



\$188.60 inc

Socket Set

Code No. M1115MM







- Flip reverse ratchet head with quick release, 22" handle, T bar adaptor, 200 & 400mm Extension bars
- 12 pnt Socket sizes: 36, 41, 46, 50, 55, 60, 65, 70, 75 & 80mm



\$299.00 \$1033.85 inc

Hex Bit Socket Clip Rail Set

Code No. M1409HN





Sizes: 3, 4, 5, 5,5, 6, 7, 8, 10 & 12mm

\$42.00 \$48.30 inc

1/4" Drive Metric Hex Bit Socket

- Chrome vanadium.
- \$2 steel bits pressed into the socket.\$atin finish for a better grip when handling the socket.
- Ball bearing recess on the female end to grip the ratchet.
 Designed for use with fastenings with a hexagon hole.
 Use with in-hex screws or grub screws,
- Design and manufactured to DIN 7422





Piece Hex Key Sets



- Regular hex end on both arms giving the ability to apply higher torque.
- Chrome vanadium steel with a
- black finish Each key can be easily removed or used by simple twisting in its individual holder.
- Supplied with a plastic holder to keep the keys together.

Sizes: 0.9, 1.3, 1.5, 2, 2.5, 3, 4

1477AF

Sizes: .028, .035, .050, 1/16, 5/64, 3/32, 7/64

\$10.00 \$11.50 inc

Socket Set

Code No. M1212N1





- Flip reverse ratchet & 5" Extension Bar
- 12 pnt Socket sizes: 8, 10, 12, 13, 14, 15, 17, 18, 19 & 24mm





Long Hex Bit Socket Ball Point Clip Rail Set








- Ball point end giving access at angles of up to 25°
- Sizes: 3, 4, 5, 5.5, 6, 7, 8, 10 & 12mm

92.00

\$105.80 inc

3/8" Drive Metric Hex Bit Socket Ball Point



- Ball point end giving access at angles of up to 25°
 \$2 steel bits pressed into the socket.
- Satin finish for a better grip when handling the socket.
- Ball bearing recess on the female end to grip the ratchet.
 Designed for use with fastenings with a hexagon hole.
- Use with in-hex screws or grub screws • Design and manufactured to DIN 7422





\$14.00 (ex GST) \$16.10 (inc GST) M381503RI - C - 3mm M381504BL-C - 4mm \$14^{.00}(ex GST) \$16.10 (inc GST) M381505BL-C - 5mm \$14^{.00}(ex GST) \$16.10 (inc GST) M3815055BL-C - 5.5mm \$14^{.00}(ex GST) \$16.10 (inc GST) M381506BL-C - 6mm \$14.00(ex GST) \$16.10 (inc GST) M381507BL-C - 7mm \$15^{.50}(ex GST) **\$17**.83(inc GST) M381508BL-C - 8mm \$18^{.00}(ex GST) \$20^{.70}(inc GST) M381510BL-C - 10mm \$18^{.00}(ex GST) \$20^{.70}(inc GST) M381512BL-C - 12mm \$21.50 (ex GST) \$24.73(inc GST)

TX Bit Socket Set

Code No. M1213TX



- Clip rail (Length: 220mm), 1/2" Drive socket clips (x9)
- TX Bit Scokets: 20, 25, 27, 30, 40, 45, 50, 55 & 60

Breaker Bars



- · Design for extra torque to use with stubborn nuts and bolts.
- Ball bearing socket retainer on the square drive for a secure grip.
- Chrome vanadium

3401RR - 3/4" • Drive: 3/4"

1101BB - 1'

• Drive: 1"

\$399.00 (ex GST) • Max Torque: 1412Nm \$458^{.85}(inc GST)

\$440.00(ex GST) • Max Torque: 2515Nm

\$506^{.00}(inc GST)



Tin Snips • Chrome molybdenum alloy steel drop forged cuttina bladés Spring loaded high leverage handles for increased cutting capacity

| Code No. | Length | Туре | Handle | Steel | Stainless Steel | ex GST | inc GST |
|-------------|--------|-------------------|--------|-------|--------------------|---------|---------|
| 490 | 10" | Straight | Yellow | 1.5mm | 0.9mm | \$49.00 | \$56.35 |
| 491 | 10" | Straight/Right | Grey | 1.5mm | 0.9mm | \$49.00 | \$56.35 |
| 492 | 10" | Straight/Left | Red | 1.5mm | 0.9mm | \$52.00 | \$59.80 |
| 493 | 10" | Off Set/Right | Grey | 1.5mm | 0.9mm | \$59.00 | \$67.85 |
| 494 | 10" | Off Set/Left | Red | 1.5mm | 0.9mm | \$59.00 | \$67.85 |
| 495 | 11" | Straight/Long Cut | Yellow | 0.9mm | 0.53mm | \$52.00 | \$59.80 |

10" Heavy Duty Cable Cutter

Safety lock for safe storage
 Bi-material grip for more comfortable use



- Chrome molybdenum alloy steel blades are hardened to help maintain cutting
- Compound leverage increases cutting power while reducing cutting effort.
 New quick and simple spring-free automatic latch design (one hand release)
- provides safety and convenience.

 Cuts the following: Copper & aluminium electric cables up to number 12mm diameter
- HRC 60-62.

Clip Removal Tools




- Remove fasteners that secure panels and trim pieces without damage to panel or
- Distinct pivot points are design for appropriate leverage and to resist twisting that may damage panel or trim piece.

MDR06 - Small U Shape \$21.00(ex GST) \$24.15 (inc GST) **\$25**.00(ex GST) MDR08 - Large U Shape \$28^{.75}(inc GST) MRP06 - Small V Shape \$19^{.00}(ex GST) **\$21**.85 (inc GST) MRP95 - Large V Shape \$28.00(ex GST) \$32^{.20} (inc GST)

Deadblow Hammers

Hammer head covered with polyurethane



Soft faces that are gentle to the work piece



HMDH50PU - 50mm

Face Diameter: 50mm

HMDH60PU - 60mm

Face Diameter: 60mm

HMDH70PU - 70mm • Face Diameter: 70mm

\$129^{.00}(ex GST) \$148^{.35}(inc GST) · Weight: 750g

> \$139^{.00}(ex GST) • Weight: 1270g

00(ex GST) • Weight: 1500g

10" High Levearge Tin Snips



- Chrome molybdenum alloy steel drop forged cutting blades
- · Spring loaded high leverage handles for increased cutting capacity
- Double spring with high torsional strength for frequent use
 Safety lock for safe storage
- Bi-material grip for more comfortable use

| Code No. | Length | Туре | Copper | Steel (mm) | Hard Steel | Stainless Steel |
|-------------|--------|----------------|--------|---------------|---------------|--------------------|
| 490W | 10" | Straight | 1.8mm | 1.5 | lmm | 0.9mm |
| 491W | 10" | Straight/Right | 1.8mm | 1.5 | lmm | 0.9mm |
| 492W | 10" | Straight/Left | 1.8mm | 1.5 | lmm | 0.9mm |

\$50.00 \$57.50 inc

- Small sizes make it more manoeuvrable to get into the most cramped spaces.
- Drop forged Chrome Molybdenum Alloy steel blades with serrated edges.
 Safety lock for safe storage

• Bi-material grip for more comfortable use

| Code | Length | Туре | Handle | Steel | Stainless Steel |
|--------|--------|------------------|--------|-------|--------------------|
| 491-7N | 190mm | Straight | Yellow | 1.5mm | 0.9mm |
| 493-7N | 182mm | Straight / Right | Green | 1.5mm | 0.9mm |
| 494-7N | 182mm | Straight/Left | Red | 1.5mm | 0.9mm |



\$86.25 inc

275mm 90° Long Reach Plier Bent



- The long reach the plier to reach in to recessed areas.
- Body hardness HRC43-48 for long lasting use
- Vinyl grips make the tool more comfortable to use.

\$65.00 \$74.75 inc

450g USB Rechargable Cordless Grease Gun

Code No. PE3106

- 7,000 PSI Maximum Peak Pressure
- 70g p/min Volume Grease Flow
- Pumps 3 x Higher than Manual Grease Guns
- 450a (16oz) Grease Tube
- 2000mAh / 12V Lithium-Ion Built-in Battery
- 5V / 3A / 15W Output
- USB Charging Cable
- Up to 3 Cartridges of Grease on a Single Charge of the Battery
- Compact and Lightweight

Accessories

- 290mm Flexible Hose with Spring Guard
- 100mm Steel Hose
- 4 Jaw Coupler
- Tip Nozzle









Filler Pump

3-Way Loading

Cartridge











Diesel Tanks with 12V Pump

Heavy duty construction with loackable filling cap and pump cover for reliable & secure delivery of diesel.

- UV stabilised diesel grade polyethylene polytuff tank
- 12V Diesel Power Self priming pump
- 40L/Min open flow
- High quality auto shut off trigger
- 4m of 3/4" delivery hose with swivel and crimped fittings
- · 4m wiring harness with alligator clips
- Suction foot screen filter on internal suction line
- Hose and gun stores under the lockable cover, padlock included
- · Diesel level indicator
- Auto shut off gun with swivel
- 30 min duty cycle, 30 min on/off

PE3170 - 200L \$1424.00_(ex GST) \$1637.60 (inc GST)

\$2183.85 (inc GST) **PE3172 -** 400L \$1899.00_(ex GST)





Rolling Work Seat with Storage Trays

Code No. PE1022

Sitting comfortably in the correct position is the best way to get most jobs done.

Get yourself on the proper level with the ProEquip Rolling Work Seat with Slide Trays and Drawer, a sturdy, easy rolling seat for home or the garage.

Durable Rolling Work Seat

• With steel frame construction, durable plastic storage trays, easy roll wheels, and a comfortable seat cushion, you won't feel flex or sagging when you sit and roll on this seat

Rolls Smooth

- The 4" rubber coated wheels glide effortlessly across driveways and shop floors, and direction changes are easy thanks to ball-bearing swivel action on all four corners
- Two locking wheels to keep you in place when needed

Maximise Storage

• With a full length pull out drawer and two removable storage trays, you can store tools, cans, rags, beverages, and other car care and repair essentials

Comfort

• The 300 x 240mm foam seat cushion has a comfortable concave shape to keep you in place as you work and maneuver

Max Capacity

- Overall size is 545mm long with trays mounted x H 393.5 x W 317.5mm
- 120kg



350mm 240V Metal Cutting Drop Saw

Code No. S14-PROKIT

- Stainless Steel
- Mild Steel
- Aluminium
- Thick Material
- Blade Speed: 1450rpm Motor: 3.0hp Single Phase (240V)
- 2 Blade kit: - 66 tooth T.C.T. blade
- 110 tooth cermet carbide blade for stainless steel
- Saves time & money giving cool cuts that need little to no finishing, eliminating any need for grinding or cool down time.
- Fully enclosed retractable guard
- increases user safety Heavy Duty vice: 90° 45°
- Pipe vice attachment
- Maximum material dimensions:
- 90° 120 x 120mm
- · 45° 120 x 90mm

Content:

- 1x S14
- 1x SSBL350-MS
- 1x SSBL350-CERMET110



Roller Conveyors



Air Die Grinder Kit with 3 Carbide Burrs Code No. TM340-312KIT3

\$228^{.85} inc

FEATURES

- Ultra compact design with soft rubber grip.
- Rear 4-speed regulator.
 360° adjustable exhaust.

SPECIFICATIONS

- Collet Size: 1/4"
- Average Air Consumption: 113 L/min
- Weight: 0.39ka • Air inlet: 1/4"

- 3/8" Cylindrical End Cut Carbide Burr (CB-SB3)
 3/8" Oval Shape Carbide Burr (CB-SE3)
- 3/8" Tree Shape Radius End Cut Carbide Burr (CB-SF3)

Hydraulic Air Riveter Code No. TM340-802

- **FEATURES**
- Convenient one hand operation.
- Set rivets up to 4.8mm in steel & aluminium & 4.0mm stainless steel.
- 4 interchangeable nose pieces provided 2.4-4.8mm

SPECIFICATIONS

- Nose pieces to suit rivets: 2.4, 3.2, 4.0 & 4.8mm
- · Stroke length: 16mm
- Traction power: 1400kg Max. Capactiy 4.8mm
- Working pressure: 90 PSI
- Weight: 1.42kg

\$366.85 inc



ITM AIR

Free Speed: 25,000rpm

• Length: 173mm

350mm Cermet Carbide Metal Cutting Blade







- Up to 3 times longer life than standard metal cutting T.C.T. blades
 - Saves time & money, giving cool cuts that need little to no finishing
 - Cuts mild steel & stainless

SSBL350-CERMET64 - General Teeth

\$330^{.00}(ex GST)

\$379^{.50}(inc GST)

• Teeth: 64 SSBL350-CERMET110 - Thin Materials

\$366.00_(ex GST)

\$420^{.90}(inc GST)

S770 Series Suction Spray Gun

- Pot size: 1000ml
- Includes: Gun, pot, stainless steel nozzle and needle
- A popular conventional high pressure spray gun that provides extremely fine atomisation for the D.I.Y. person to the professional

\$770-11\$ - 235mm

- Nozzle Size: 1.5mm
- **\$770-41\$ -** 275mm Nozzle Size: 2.5mm

\$299.00 (inc GST)

\$320.85 (inc GST)



Security Gravity Feed Guns

- Pot size: 600ml
- Includes: Gun, pot, stainless steel nozzle & needle

SG-EVO106FG-014 - EVO-T (Orange) \$379.00(ex GST)

\$331.00(ex GST)

- Nozzle Size: 14mm
- Air consumption: 11.5 13.5 CFM (325 380 LPM)
- Air Inlet Pressure: 15 19 PSI
- Pattern Width: 280 285mm
- **SG-SMP106FG-018 -** SMP (Blue) Nozzle Size: 1.8mm
- Air consumption: 10.5 12.5 CFM (300 355 LPM)
- Air Inlet Pressure: 29 PSI
- Pattern Width: 280 330mm



💶 🗥 S-106 Series Gravity Feed Guns

- Pot size: 600ml
- Includes: Gun, pot, stainless steel nozzle & needle
- Provides constant paint flow at lower pressures, & extremely fine
- Required pressure: 50-70psi
- \$106-141G 250mm \$227.00(ex GST) Nozzle Size: 1.4mm

· Air consumption: 6.5cfm

\$106-201G - 270mm \$255.00(ex GST) Nozzle Size: 2mm

Air consumption: 8.8cfm



200mm Bench Grinder with Belt & Disc Grinding Attach

Code No. PO362-200HD



- Powerful 750W (lhp) motor
 Cast iron body and base
 Capacitor start / run motor
 NVR safety switch
 Large eye shields safety
 Heavy Duty tool rests
 Belt Size 915 x 50mm (36" x 2")
 Grinding Wheel Size 200mm (8")

Package includes:
PO200HD, 200mm Heavy-Duty Bench Grinder
PO362 Multitool with 915 x 50mm belt

\$764^{.75 inc}

200mm Bench Grinder with Belt & Disc ROUSTINUL PRODUCTS Grinding Attachment

Code No. PO362-200



- Powerful 600W Induction Motor
- Powerful 600W induction Mc
 25mm width grinding wheel
 Cast iron body and base
 Capacitor Start-Run motor

- Large eyes shield
 Belt Size: 915 x 50mm
 Grinding wheel size: 200mm

Package includes:
• TM400-200, 200mm Bench Grinder
• PO362 Multitool with 915 x 50mm belt

\$773.95 inc

Attachment PO482 with 250mm Bench Grinder

Code No. PO482-250



- Powerful 900W induction motor
- Capacitor start178mm disc
- 25mm wide grinding wheel
 Durable cast iron body
 Heavy Duty tool rest
 Belt Size: 1220 x 50mm

- Grinding wheel size: 250mm

Package includes:
• TM400-250, 250mm Bench Grinder
• PO482 Multitool with 1220 x 50mm belt

1207.00

\$1388.05 inc

\$768.20 inc GST

Attachment PO484 with 250mm Bench Grinder

Code No. PO484-250



- Powerful 900W induction motor
- Capacitor start 178mm disc
- 17611111 disc
 25mm wide grinding wheel
 Durable cast iron body
 Heavy Duty tool rest
 Belt Size: 1220 x 100mm

- Grinding wheel size: 250mm

Package includes:
• TM400-250, 250mm Bench Grinder
• PO484 Multitool with 1220 x 100mm belt

6" (150mm) Bench Grinder

\$1534^{.10} GST

10" (250mm) Bench Grinder

Code No. TM400-250



- Powerful 900W induction motor
- 25mm width grinding wheels with 36 & 60 grit
 Cast iron body and base
 Vibration absorbing pads on base
 Capacitor Start-Run motor
- Fully adjustable tool rests
- Fully dujustable door leaves Large eye shields for increased user safety Wheel Size: 250mm x 25mm Spindle Thread: MI6 x 2mm Speed: 2980rpm



25mm width grinding wheels with 36 & 60 grit
 Cast iron body and base
 Vibration absorbing pads on base
 Capacitor Start-Run motor
 Fully adjustable tool rests
 Large eye shields for increased user safety
 Wheel Size: 150mm x 25mm
 Spindle Thread: M12 x 1.75mm
 Speed: 2980rpm



\$249.55 inc

8" (200mm) Bench Grinder



- Powerful 600W motor
- 25mm width grinding wheels with 36 and 60 grit
 Cast iron body and base
 Vibration absorbing pads on base
 Capacitor Start-Run motor

- Heavy Duty tool rests
 Large eyes shields for increased user safety
 Wheel Size: 200mm x 25mm
 Spindle Thread: M16 x 2mm

- Speed: 2980rpm

\$408^{.25} inc

8" (200mm) Heavy Duty Bench Grinder



- Powerful 750W (Ihp) induction motor
 Cast iron body & base
 Capacitor start / run motor
 NVR safety switch
 Large eye shields for added user safety
 Heavy Duty tool rests
 Wheel size: 200 x 25mm
 Spindle Thread: 5/8" UNC

- Speed: 2950rpm

\$437.00 inc

8" (200mm) Buffer

Code No. TM402-200



- Safety lock On/Off switch
 Cast iron body and base
 Vibration absorbing pads on base
 Capacitor Start-Stop motor
 Includes 200 x 14mm stitched polishing mops.
 Wheel Size: 200 x 14mm
 Spindle Thread: MI6 x 2mm
 Spondle 3050 mm

- Speed: 2950rpm

\$393.30 inc

750mm Bench Grinder Stand



Premium Bench Grinder Stand with Emergency Stop Switch

Code No. TM403-014



\$392.15 inc

- For use with 6", 8" & 10" bench grinders & buffing machines
- Holes for storing spare wheels

 With Inline Emergency Stop Safety Switch

 Height 840mm

 Weight 14kg

Heavy Duty Bench Grinder Stand Code No. TM403-016

\$139.15 inc



SPECIFICATIONS

- SPECIFICATIONS

 Total Height: 855mm

 Weight: 11.5kg

 Top Plate: 350 x 250 x 5mm

 Base Plate: 350 x 250 x 5mm

 Upright Tube Dimension: 100 x 100mm

3/4" Dr Air Impact **Wrench Composite**

Code No. M7-NC6255QH

\$654.35 inc

FEATURES

Patent grease hole makes greasing process extremely

 The front housing & back head cover are constructed from magnesium alloy. While the rest of the tool is constructed from a durable composite material.

SPECIFICATIONS

- Bolt Capacity: 1" (25mm) Free Speed: 8500 RPM Torque Range: 200-1100ft/lb (271-1491Nm)

- Max Torque @ 5 seconds: 1400ff/lb (1890Nm) Air Requirement: 4.8 CFM (136 LPM) / 90 PSI / 1/4" Inlet Sound Pressure: 85dBA Vibration Level: 4.5m/s²





Air Rivet Nut Tool

Code No. M7-PB1310



FFATURES

- Automatic mechanism to quickly push up and pull back rivet.
- Quick release clip design to change spindle easily.
 Two trigger design for quick forward / reverse operation

SPECIFICATIONS

- Net Weight: 1.74kg
- Sound Pressure: 86 dBA
- Vibration Level: 1.6m/s²

Air Mini High Speed Sander

Code No. M7-QP212

Code No. M7-PB1308

FEATURES

SPECIFICATIONS

• Free Speed: 600 RPM • Inlet: 1/4"

• Sound Pressure: 86 dBA



FEATURES

Superb quality pneumatic sander. • Supplied with 3" Pad

SPECIFICATIONS

- Pad Diameter: 50mm , 75mm (2", 3") Free Speed: 18000RPM
- Spindle Size: 1/4" 20
- Inlet: 1/4" • Rated Power: 0.38HP
- Vibration Level: 0.9m/s²
- Overall Lenath: 107mm
- Sound Pressure: 73 dBA

12 Pc 2" Surface Conditioning Disc Kit

Code No. M7A-OB9742K12A



\$59.80 inc

FEATURES

Suitable for blending scratches and imperfections on ferrous metals, stainless steel, aluminium and most other metals

SPECIFICATIONS

- · 1 x 6mm Shank
- 1 x 2" Roll On Holder
- 6 x 2" Pad Die
- 3 x 2" Sanding Disc
- 1 x 2" Stripping Disc



12 Pc 3" Surface Sanding Disc Kit

Code No. M7A-OB9743K12A



566.00 \$75.90 inc

FEATURES

Suitable for blending scratches and imperfections on ferrous metals, stainless steel, aluminium and most other metals.

SPECIFICATIONS

- · 1 x 6mm Shank
- 1 x 3" Roll On Holder • 6 x 3" Pad Die
- 3 x 3" Sanding Disc
- 1 x 3" Stripping Disc



2" Felt Pad Conditioning Disc Kit

Code No. M7A-QB9752K07A

SPECIFICATIONS

• 1 x 6mm Shank • 6 x 2" Felt Pads





3/8" Drill Reversible Q-Series Keyless

Code No. M7-QE831



\$187^{.45} inc

FEATURES

Quiet Operation

- SPECIFICATIONS
- Chuck Size: 3/8" (10mm)
- · Air Requirements: 4CFM / 90PSI
- Overalİ Length: 185mm
- Sound Pressure: 83 dBA
- Free Speed: 1800RPM Inlet: 1/4"

- Net Weight: 1.1kg
 Vibration Level: 0.3m/s²



\$152.00 \$174.80 inc



• Heat treated shear blades for long lasting cutting performance.

SPECIFICATIONS

- Strokes/min: 2600 S.P.M
- Inlet: 1/4"
- Sound Pressure: 89.1 dBA
- Weight: 1.10kg
- Air Requirements: 6.5 CFM / 90 PSI
- Overall length: 210mm Air hose: 3/8" Vibration Level: 2.9m/s²
- Cut capacity: Steel Stainless (1.0mm), Mild steel (1.2mm) & Aluminum (1.6mm)

Grease Guns

FEATURES

Bulk & cartridge type

SPECIFICATIONS

- Inlet: 1/4" • Proof Pressure: 10.5kgf/cm²
- M7-SG500 Pulse Style
- Net Weight: 1.46kg
 Vibration Level: 0.7m/s²

- M7-SG501 Continuous Style

Stroke Length: 2.8-8.4mm

Sound Pressure: 80.2 dBA

Cartridge Size: 450g

\$83^{.00}(ex GST)

- Includes 305mm flexible hose Sound Pressure: 74 dBA
- **\$217**.35(i \$189.00(ex GST) • Working pressure: 40 - 90psi • Output volume: 288ml/min • Heavy duty cast aluminium body for maximum durability Net Weight: 1.6kg
 Vibration Level: 2m/s²

3/8" Dr Ratchet Wrench Stubby Code No. M7-NE351R

FEATURES

• 3/8" Square Drive Mini Air Ratchet Wrench

SPECIFICATIONS

- Square Drive: 3/8"
- Torque Range: 5-15ft/lb (6.7-20Nm)
 Max Torque @ 5 seconds: 22ft/lb (30Nm)
- Free Speed: 350 RPM
- Air Requirement: 3 CFM / 90 PSI / 1/4" Inlet
 Overall Length: 125mm
- Net Weight: 0.5kg
 Sound Pressure: 89dBA
- Vibration Level: 4.4m/s²





1/2" Dr Ratchet Wrench Code No. M7-NE443

FEATURES

1/2" Square Drive Air Ratchet Wrench

SPECIFICATIONS

- Sauare Drive: 1/2
- Torque Range: 10-55ft/lb (13.5-74Nm)
- Max Torque @ 5 seconds: 100ft/lb (135.6Nm)
 Free Speed: 160 RPM
- Air Requirement 4 CFM / 90 PSI / 1/4" Inlet Overall Length: 280mm Net Weight: 1.3kg

- Sound Pressure: 84dBA
- Vibration Level: 4.4m/s²



Air Needle Scaler



FEATURES

- Needle size: 3 x 123mm (12 per set)
- · Great compact design

SPECIFICATIONS

- Stroke Length: 32mm
- Vibration Level: 7.67m/s²
- Net Weight: 1.3kg
- Blows Per Minute: 5500BPM
- Air Requirements: 3 CFM / 90 PSI Overall Length: 290mm
- Sound Pressure: 86 dBA

230.00 \$264^{.50 inc}

Air Needle Scaler



FEATURES

• Needle size: 3 x 180mm (19 per set)

SPECIFICATIONS

- Stroke Length: 28mm Air Requirements: 15 CFM / 90 PSI
- Overall Length: 460mm
- Sound Pressure: 91 dBA
- Blows Per Minute: 4600BPM
- Inlet: 1/4"
- Net Weight: 2.8kg
 Vibration Level: 13.7m/s²

433.00 \$497^{.95} inc

Deburrina Bevellina Machine

Code No. M7-OC512



- **Specifications**
- Chamfering depth:
 Co.1 C2.0mm (13 gauge) aluminium & steel
 Co.1 C1.2mm (18 gauge) stainless steel
 Cutting oscillations: 28000rpm

- Tool size: 105 x 64mm
- · Sound level: 85db
- Air inlet: 1/4" • Overal length: 105mm
- · Air pressure: 90psi Air consumption: 2 CFM
 - Air hose:3/8'
 - Weight: 0.5kg

613.00 \$704^{.95} inc

140mm Air Engraving Pen

Code No. M7-OA511

FEATURES

- Roll throttle
- Comfortable handle allows smooth operation.
- Longer lifetime and lower vibration.
 Stainless steel front housing eliminates rust.

SPECIFICATIONS

- Blows Per Minute: 13000BPM
- Hose Length: 1420 • Air Requirements: 1 CFM / 90 PSI
- Inlet: 1/4"
- Overall Length: 140mm
 Net Weight: 0.23kg
 Sound Pressure: 78 dBA
- Vibration Level: 0.6m/s²



Pneumatic Brake Fluid Extractor (2L) &

181.00 \$208.15 inc

Code No. M7-SX3301

SPECIFICATIONS

- Cup Capacity: 1L • Air Requirements: 10 CFM / 90 PSI • Inlet: 1/4"
- Overall Length: 300mm
- Net Weight: 0.69kg



Air Blow Guns (Bent Nozzles)

SPECIFICATIONS

- Working Pressure: 75-120 PSI
- Avg. Air Consumption (1/4" Hose): 13 CFM
 Avg. Air Consumption (3/8" Hose): 15 CFM
 Sound Pressure: 90 dBA

M7-JC405 - 125mm (5") NEW

\$10.50 (ex GST)

M7-JC410 - 250mm (10") NEW \$15^{.00}(ex GST) \$17^{.25}(inc GST) M7-JC412 - 305mm (12") \$16.00(ex GST) \$18.40 (inc GST)

M7-JC424 - 610mm (24") \$29.00 (ex GST) M7-JC435 - 890mm (35") NEW \$40.00(ex GST) \$46.00 (inc GST)

Refill (1L) Kit

• Max Pressure: 150 PSI \$12.08(inc GST) \$33.35 (inc GST)

1016mm Super Air Blow Gun Venturi Nozzle



FEATURES

• 1016mm (40") Super Air Blow Gun

SPECIFICATIONS

- Working Pressure: 75–120 PSI
 Max Pressure: 150 PSI
- Avg. Air Consumption (1/4" Hose): 13 CFM
 Avg. Air Consumption (3/8" Hose): 15 CFM
- Sound Pressure: 90 dBANet Weight: 0.34kg



steering systems. **SPECIFICATIONS**

Code No. M7-SM0502

- Air Pressure: 70 170PSI • Net Weight: 2.5kg
- Capacity: 2L

FEATURES





Atlas Copco 100L ATB Piston Air Compressors

Cast Iron Piston Compressors | ATB Series / Oil Jubricated Air Receiver (Tank) Size: 100L

- Pressure: 10bar / 145psi
 Overall Size: L 920 x W 510 x H 840mm

Special Notes:

Suitable for intermittent workshop & light industrial

· Mobile, wheels included.

BONUS 30M Air Hose (TM300-330) lued at \$138.74



- Power Supply: 240V/10A 1PH 50Hz
 Air Flow @ 10bar: 295 I/min / 10.4cfm
- Noise Level dB(A): 71

ATB3100 - 3.0HP

- Power Supply: 240V/15A 1PH 50Hz
 Air Flow @ 10bar: 400 I/min / 14.1cfm
- Noise Level dB(A): 73

\$1595.50(ex GST)

- Motor Power: 1.5kW / 2HP
- Air Flow (FAD) @ 10bar: 190 I/min / 6.7cfm

\$2199.00(ex GST) **\$2528**.85(inc GST) • Motor Power: 2.2kW / 3HP

- Air Flow (FAD) @ 10bar: 290 I/min / 10.2cfm

50L Air Compressor 2.5HP Direct Drive

Code No. TM350-25050

\$1112.05 inc

BONUS 30M Air Hose (TM300-330) ued at \$138.74



FEATURES

• Designed for heavy duty contains use

SPECIFICATIONS

- Pump Type: Direct Drive
- Tank Capacity: 50L

 Power Source: 240V (10 AMP)
- Pump Displacement: 218 L/min (7.7 CFM)
- Pump RPM: 2900
- Compressor Dimensions: L 80 x W 42 x H 69cm
- Motor HP: 2.5 HP
- Cylinders: Single
 Max Pressure: 145 PSI (10 Bar)
- Free Air Delivery: 175 L/min (6.2 CFM)
- Filter / Regulator: Yes

36L Air Compressor 2.5HP Direct Drive

Code No. TM354-25036

\$654.35 inc

RONUS 30M Air Hose (TM300-330) ued at \$138.7



FEATURES

• Designed to suit the home workshop & emitted professional user

SPECIFICATIONS

- Pump Type: Direct Drive
- Tank Capacity: 36L
- Power Source: 240V (10 AMP) • Pump Displacement: 218 L/min (7.7 CFM)
- Pump RPM: 2850
- Compressor Dimensions: L 87 x W 37 x H 74cm



- Motor HP: 2.5 HP
- Cylinders: Single
 Max Pressure: 116 PSI (8 Bar)
- Free Air Delivery: 135 L/min (4.8 CFM)
- Filter / Regulator: No

X-Lite Air Compressor Slient

BONUS 30M Air Hose (TM300-330)



FEATURES

- Compact & Lightweight
- Can fit in the back of most utes
- · Recommend for the professional builder & carpenter

TM350-10010 - 1HP 10L

- Pump Type: Oil Free Direct Drive
 Tank Capacity: 10L
- Max Pressure: 135 PSI (9.3 Bar)
 Noise: 60dB

TM350-20016 - 2HP 16L

- Pump Type: Oil Free Direct Drive Tank Capacity: 16L
- Max Pressure: 135 PSI (9.3 Bar)
- Noise: 67dB

\$728^{.00}(ex GST)

- Motor: 1 HP 4 Pole Induction Power Source: 240V (10 AMP)
- Free Air Delivery: 62 L/min
- Compressor Dimensions: L 41 x W 41 x H 37cm

\$847.00 (ex GST)

\$974.05 (inc GST)

- Motor: 2 HP 4 Pole Induction
- Power Source: 240V (10 AMP)
- Free Air Delivery: 125 L/min
- Compressor Dimensions: L 45 x W 45 x H 43cm

PVC Air Hoses with Couplers

SPECIFICATIONS

- High quality durable non-marking PVC air hose.
- Nitto style quick release fittings.
- Bend restrictor extends hose line. • Grease, oil and abrasion resistant.
- Internal Diameter: 3/8" (10mm)

• Max working pressure: 300 PSI TM300-210 - 10m \$70^{.00}(ex GST)

TM300-220 - 20m \$109.00(ex GST)

TM300-230 - 30m \$148.00(ex GST) \$170-20(inc GST)



15M Hybrid Polymer Air Hose

Code No. TM300-415

- Hybrid polymer High-Flex hose Anti-kink technology, the hose will not kink when under pressure.
- Superior all weather flexibility -5°C to 65°C.
 Hi-visibility for safety.

Specifications

- Length: 15 Metres
- Internal Diameter: 1/2" (12.5mm) • Max Working Pressure: 300PSI

\$154.10 inc



ITM 30M Manual Air Hose Reel

Code No. TM300-030

- Braided P.V.C. hose
- Durable powder coated, steel frame
- Wall mount bracket included Bend restrictor extends hose life
- Maximum pressure 300PSI Hose I.D.: 10mm (3/8")



\$326.60 inc



20M Retractable Hybrid Polymer Air Hose Reel

Code No. TM300-022

Superior all-weather flexibility, will not kink, even in

extreme temperatures -5°C to 65°C Heavy Duty all steel body construction • High visibility fluro orange hose

 Auto lock to any required length Adjustable hose stopper

 Industrial quality 1/4" BSP male fittings Maximum pressure



3200psi Petrol Pressure Washer

Code No. TM540-3200

- · High quality 212cc industrial engine
- Engine Horse Power: 7hp
 Max Pressure: 3200psi (220 Bar)
 Max Flow Rate: 9.5 L/min
- Displacement: 212cc
 Fuel Tank: 3.3Ltr
- Start Type: Recoil
- Pump type: 3 Piston Axial Cam Pump
 Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
- Hose Length: 7.6m





\$918^{.85} inc





2500psi Petrol Pressure Washer

Code No. TM542-2500

- 5.5hp Genuine Honda GP160 engine, assembled to machine in Australia
- Max Pressure: 2500psi (172 Bar)
 Max Flow Rate: 8.7 L/min
- Displacement: 163cc
- Fuel Tank: 3.1Ltr
 Start Type: Recoil
- Pump type: AR Axial Pump
 Quick connect nozzles: 15°, 25°, 40°, Soap
- Hose Length: 7.6m



\$1473.15 inc



3200psi Petrol Pressure Washer

Code No. TM542-3200

- 6.5hp Genuie Honda GX200 engine, assembled to machine in Australia
- High quality 196cc industrial engine
 Max Pressure: 3200psi (220 Bar)
- Max Flow Rate: 9.5 L/min Displacement: 196cc
- Fuel Tank: 3.6Ltr
- Start Type: Recoil
- Pump type: AR Axial Pump
- Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
- Hose Length: 10m







3800psi Petrol Pressure Washer

Code No. TM540-3800

- High quality 274cc industrial engine
- Engine Horse Power: 8hp
 Max Pressure: 3800psi (262 Bar)
 Max Flow Rate: 13.2 L/min
- Displacement: 274cc
- Fuel Tank: 51 tr
- · Start Type: Recoil
- Pump type: 3 Piston Triplex pump with brass head
- Quick connect nozzles: 0°, 15°, 25° 40°, Soap and turbo nozzle
- Hose Length: 15m



\$1856.10 inc



4200psi Petrol Pressure Washer

Code No. TM542-4200

- 13hp Genuine Honda GX390 engine, assembled to machine in Australia
- Max Pressure: 4200psi (290 Bar)
- Max Flow Rate: 15 1 I /min
- Displacement: 389cc
- Fuel Tank: 6.1Ltr
- Start Type: Recoil
- Pump type: AR Triplex Pump
 Quick connect nozzles: 0°, 15°,
- 25°, 40°, Soap
- Hose Length: 15m



\$4368.85 inc





380mm (15") Surface Cleaner

Code No. TM541-015

- For use with 3/8" Quick-Connect petrol pressure
- washer lances
- Strong PP housing
- Tough bristle brush edge prevents water from
- Head Diameter: 380mm (15")
- Max Pressure: 3200psi (220bar)



\$205.85 inc





535mm (21") Surface Cleaner

Code No. TM541-021

- High quality ABS casingDual stainless steel water jets
- Max pressure 4200PSI
 4 solid swivel castor wheels
- Bristle edge protection prevents water and debris from flicking
- Ergonomic handle design
- For use with 3/8" Quick-Connect petrol pressure washer Head Diameter: 535mm (21")



\$1200.60 inc





That looks 'SCHMICK'!

4 Pc Ultimate Care Pack





Keep cleaning easy with the Schmick Mick Ultimate Care Pack. Four of our best selling products to make your car, truck, motorbike, or trailer looking schmick.

Content

- 1L Ceramic, Hydro Foam Wash (Bonus Key Ring)
- SM1007 750ml Tyre Shine SM1008 500ml Ceramic Protection

TWO FREE

• SM1005 - 500ml Like New Vinyl & Plastic Restorer

\$129.⁵⁷ \$149.00 inc

THE RANGE

500ml Like New Vinyl & Plastic Restorer

Schmick Mick Like New Vinyl & Plastic Restorer is a truly exceptional product that offers a wide range of benefits for revitalizing and restoring vinyl and plastic surfaces.

Directions: Spray directly on surface or directly into a micro fibre cloth and wipe evenly over surface.





500ml Ceramic Spray

Schmick Mick Ceramic Protection is a breeze to apply. Its easy-to-use application process that allows you to achieve professional results without the need for specialized tools or equipment.

Directions: Spray on surface and gently wipe over evenly with a micro fibre cloth. For best results apply after washing your vehicle, bike or boat.





\$43.00 \$49.45 inc

750ml Lanolin Rust Preventor

Code No SM1006

\$44.00 \$50.60 inc





Schmick Mick Lanolin Spray creates a protective barrier on various surfaces, shielding them from moisture, rust, corrosion, and other environmental elements. This protective layer helps to extend the lifespan of your equipment, tools, and machinery. Excellent Lubrication, Water and Moisture Repellent, Long lasting Performance and Environmentally Friendly

Directions: Spay all over surface liberally and leave to create a protective barrier against moisture and rust.

750ml Tyre Shine

Code No.SM1007

\$28.75 inc

\$38.00 \$43.70 inc



Ultimate Showroom Finish. Effortless Application for Professional Results and Long Lasting Protection Against Dirt and

Grime Schmick Mick Tyre Shine is not just about aesthetics: it's also about performance! Our advanced formulation is designed to repel dirt, dust, and grime, keeping your vehicle looking pristine for longer periods. Enjoy the peace of mind knowing that your investment is protected against the elements, and you won't have to worry about frequent cleaning sessions. Experience a cleaner and more polished ride that radiates elegance and sophistication on every journey.

750ml Glass Cleaner

Code No.SM1009

\$25.00 \$28.75 inc





Schmick Mick Clear Vision Glass Cleaner uses an advanced formula which guarantees streak free results, ensuring that your windows, mirrors, and glass surfaces sparkle like never before. Powerful solution is perfect for a wide range of applications, including automotive windows, household mirrors, glass furniture, and more. It's a must-have for every vehicle owner of in the home.

Directions: Spray on surface liberally and wipe clean with a clean paper towel or a micro fibre cloth.

1L Blizzard Foam Wash

Code No. SM1001

Schmick Mick Blizzard Foam is not your ordinary cleaning solution. It is a game-changer, specifically designed to tackle the toughest cleaning challenges with ease.

Directions: Pour 3 to 4 caps full into the Foaming Gun or Cannon and add water. Shake well and apply with hose or pressure washer. Allow solution to sit for 40 second, agitate with sponge or cloth and rinse. Can also be used diluted into a bucket of water and applied with a sponge.



\$42.00 \$48.30 inc GST



1L Ceramic, Hydro Foam Wash

Code No.SM1002K

Schmick Mick Ceramic/Hydro Foam helps shield your surfaces from future stains and grime accumulation in addition to providing superb cleaning results. Because of the protective layer that is created by its ceramic technology, dirt is repelled, making it easier to clean with each wash.

Directions: Add 3 to 4 caps full to a Schmick Mick Foaming Cannon or Gun and fill with water. Shake well and press trigger and apply all over surface. Let sit for 40 seconds and sponge in to agitate dirt and grime then hose off.



Bonus Key Ring

> \$34.00 \$39.10 inc est



Grime Degreaser

Schmick Mick degreaser, the best remedy for difficult cleaning problems. designed to remove grease accumulation and leave your surfaces clean and grime-free. Our degreaser is also designed not to fade metal components.

Directions: Spray on surface and leave for 1 minute to allow the degreaser to penetrate. Use hose or pressure washer to rinse the area clean. For tougher areas you may need to use a sponge or scrubbing brush.



\$M1003 - 1L \$34.00(ex GST) \$39.10(inc GST)

\$M1003-20 - 20L (Heavy Duty) **\$179**.00 (ex est) **\$205**.85 (inc est)



Salt Destroyer / Engine Flush

Schmick Mick Salt Destroyer effortlessly breaks down and dissolves salt deposits, eradicating them from causing short and long term damage of your equipment.

Directions: To remove salt on the surface apply as an all over spray in a Foaming Gun or Cannon. For an engine flush add 40mls to the Salt Wash Adaptor and connect directly to the Jetski or engine muffs.



\$34^{.00}(ex GST) \$39^{.10}(inc GST)

\$86.00 (ex GST) \$98.90 (inc GST)



ACCESSORIES

100ml Salt Wash Adaptor Code No. SM2001 SCHMICK MICKS MICKS MICKS \$25.00 \$28.75 inc.

Introducing the Schmick Mick Salt Wash Adaptor, the best way to easily clean out your engine to remove all salt residue.

Foaming Gun - Garden Hose

The Schmick Foaming Gun is a fantastic tool for performing a high-quality car wash in your driveway. This is a must have item for any vehicle lover or weekend driver thanks to its user friendly design and impressive foaming abilities.

Under Vehicle Washer - Pressure Washer

Code No.SM2003





\$178^{.25} inc

The Schmick Mick Under Vehicle Pressure Washer is the ideal tool for easily cleaning those challenging spaces underneath your vehicle. No hunching over battling with conventional cleaning techniques. It has never been simpler to get a thorough and spotless clean with the Schmick Under Vehicle Pressure Washer.

Blizzard Foam Gun - Pressure Washer

Code No. SM2004





The Schmick Blizzard Foaming Cannon is designed to create a thick clinging foam that encapsulates your vehicle, allowing the cleaning solution to penetrate deep into every crevice and effectively loosen dirt, grime, and contaminants. This ensures a thorough and efficient clean that leaves your car looking showroom ready.









