



See more on Page 19 & 20



IF YOU HAVEN'T GOT IT, YOU CAN'T USE IT!



PRC35™

1033 Piece Pro35™ 26" Mega Master Tool Kit
























Also Available in Black (Code No. TKS26B1033T)

\$8048.85 inc

- The tool kit includes a variety of drive sockets 1/4, 3/8, 1/2 & 3/4", bit sockets and ratchets, catering
- The total kill induced a value of drive societies of 1, 50, 50 at 31 at 1, bit sockets and radiates, caleing to different sizes and types of fasteners.

 The kit is further enriched with impact tools, combination spanners, screwdrivers, and an assortment of bits. T-handle Hex & TX Keys, pilers, power grips, and files add versatility to the kit.

 Pry bars, torque wrenches, taps, dies, and inspection tools are included for more specialized
- Thy bars, todge wenteres, taps, dies, and inspection tools are included for more specialized applications.
 The tool kit contains imperial spanners & sockets, along with a range of general tools, thereby covering most everyday aspects of mechanical and industrial tool needs.
 The top & middle storage have a new recessed side handle and flat aluminium drawer front handles.











1034 Piece Pro35™ 26" Stack Tool Kit

Code No. TKS26R1034T





















5 Step Phosphate Free Rust Protection



Combination Lock



\$8393.85 inc



- TSW26R7 roller cabinet with 7 drawers. TSM26R3 middle tool chest with 3 drawers and TST26R4 top tool chest with four drawers.
- 134/3/3/8" & 1/2" drive 12 point sockets, bit sockets, ratchets, impact tools, combination spanners, screwdrivers, bits, T-handle hex & TX keys, pliers, files, pullers, drills and measuring tools.
 TCA08 paper holder

663 Piece Pro35™ 37" Roller Cabinet Tool Kit

Code No. TKW37R663T












x 25kg drawer capacity

2 x 40kg drawer capactive

Combination Lock

Comfort Grip Handle



















\$5748^{.85} GST

The tool kit includes essential tools for automotive work: 1/4", 3/8" & 1/2" drive sockets, bit sockets, ratchets, impact tools, combination spanners, screwdrivers, bits, T-handle hex & TX keys, pliers, torque wrenches, pullers, taps & dies, inch spanners & sockets, and various general tools.

PRQ35"





1008 Piece Pro35™ 37" Roller Cabinet Tool Kit

Code No. TKW37B1008T











3 Piece Heavy Gauge Steel Cabinet Frame



5 Step Phosphate Free Rust Protection



7 x 25kg drawer capacity 1 x 40kg drawer capactiý



Combination Lock



5" x 2" Castor Wheels with Brakes



3 Step Ball Bearing Slides





This tool kit includes a wide array of tools essential for mechanical auto professionals: 1/4, 3/8 & 1/2" drive sockets, bit sockets, impact tools, combination spanners, screwdrivers, 1 handle hex & TX keys, pliers, measuring and inspection tools, pullers, torque wrenches, and more.

Each toolset is precisely arranged in a dedicated module as part of the TengTools tool control system, allowing for a flexible and dynamic tool kit arrangement.

This system enhances organization and aids in quickly identifying any missing or inadvertently misplaced tools.

Additional features include an 18 mm thick worktop in hard-wearing laminated MDF, a vice and vice shelf, a magnetic bits tray, and a paper holder.

The tool kit also comes with seven TTZ01 storage modules in tool tray module size X2 (TTX2) featuring 6 compartments, ideal for storing small components and consumables.






1295 Piece Pro35™ 53" Monster Stack Tool Kit

Code No. TKS53R1295T





































• TSW53R9 roller cabinet with 9 drawers and TST53R10F tool chest with 10 drawers.

• 1/4", 3/8", 1/2" & 3/4" drive sockets, bit sockets, ratchets, impact tools, combination spanners, screwdrivers, bits, T-handle hex & TX keys, pliers, torque wrenches, taps, dies, drills, inch spanners, inch sockets, inch hex, pullers, inspection tools, files, scrapers, general tools, and a selection of VDE Tools.

• TCF07 fixing bracket



\$14258.85 inc



PRO35™

4 Drawer Pro35™ 26" Tool Chest



4 Drawer
26" Wide Bo
21.4kg

Also Available in Black (Code No. TST26B4)

	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	305	380	
Drawer 1-3	569	275	50	30
Drawer 4	569	275	75	30

\$54	. 5.50
•	\$627 ^{.33} inc

5 Drawer Pro35™ 26" Deep Tool Chest



	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	455	483	
Drawer 1-2	575	380	50	30
Drawer 3-5	575	380	75	30

5 Drawer 26" Wide Box 44.4kg \$1005.10 inc



5 Drawer Pro35™ 37" Tool Chest



		TENGTOOLS	
W =	_		
	_		
	-		

	Width mm	Depth mm	Height mm	Capacity kg
Overall	945	455	483	
Drawer 1-2	860	380	50	25
Drawer 3-5	860	380	75	25





10 Drawer Pro35™ 53" Tool Chest



	Width mm	Depth mm	Height mm	Capacity kg
Overall	1337	455	560	
Drawer 1-10	575	380	75	40

\$2649.60 inc

5" x 1-1/4" Castor Wheels

6 Drawer 26" Wide Box

54kg



9 Drawer Pro35™ 26" Roller Cabinet











Also Available in Black (Code No. TSW26B9)

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	680	460	813	
Cabinet + Wheels	680	460	960	
Drawer 1-9	575	380	75	40



6 Drawer Pro35™ 26" Roller Cabinet

Code No. TSW26R6



	Text → 151	
	The second secon	
	A	
	TENGTOOLS	
	TENGIOOLS	
1		
1		

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	680	460	656	
Cabinet + Wheels	680	460	960	
Drawer 1-5	575	380	75	40
Drawer 6	575	380	154	40










7 Drawer Pro35™ 26" Roller Cabinet



7 Drawer
26" Wide Cabinet
_



			_	
	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	680	460	813	
Cabinet + Wheels	680	460	960	
Drawer 1-5	575	380	75	40
Drawer 6-7	575	380	154	40
-				

\$1203.00 \$1383.45 inc \$1383.45 inc

6 Drawer Pro35™ 26" Low Roller Cabinet

Code No. TSW26R6L



	Width mm	Depth mm	Height mm	Capacity kg	
Cabinet	680	460	656		
Cabinet + Wheels	680	460	770		
Drawer 1-5	575	380	75	40	
Drawer 6	575	380	154	40	

6 Drawer
26" Wide Cabinet

3 4" x 1-1/4" Castor Wheels
54kg

\$1025.00 \$1178⁷⁵ inc

0

7 Drawer Pro35™ 37" Roller Cabinet

Code No. TSW37R7



Drawer
37" Wide Cabinet
5" x 2" Castor Wheels
28 6kg

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	964	460	813	
Cabinet + Wheels	964	460	985	
Drawer 1-5	860	380	75	25
Drawer 6-7	860	380	154	40

\$1619.00 \$1861.85 inc

8 Drawer Pro35™ 37" Roller Cabinet (Black)

Code No. TSW37B8



	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	964	460	813	
Cabinet + Wheels	964	460	985	
Drawer 1-7	860	380	75	25
Drawer 8	860	380	154	40

8 Drawer

37" Wide Cabinet

5" x 2" Castor Wheels

81.3kg

\$1619.00 \$1861.85 inc

9 Drawer Pro35™ 53" Roller Cabinet

Code No. TSW53R9



9 Drawer
53" Wide Cabinet
6" x 2" Castor Wheels
152.34kg

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	1350	460	813	
Cabinet + Wheels	1350	460	993	
Drawer 1	1215	380	160	40
Drawer 2-7	575	380	75	40
Drawer 8-9	575	380	154	40



15 Drawer Pro35™ 64" Roller Cabinet

Code No. TSW64R15



	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	1640	460	974	
Cabinet + Wheels	1640	460	1153	
Drawer 1-6	575	380	75	40
Drawer 7	575	380	312	40
Drawer 8-13	860	380	75	25
Drawer 14-15	860	380	154	40

abinet







O 171.5kg

\$51	81	.00
•	\$595	2.15 inc



A MODULAR SYSTEM TH

5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm

\$218.50 inc

\$445.05 inc

Our tool sets are available in different sizes (1-4 & X2-X4). These can be combined to fit perfectly it 940 or 1



8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

\$113.85 inc

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm

(+) PZ1, PZ2 & PZ3

3/8" Drive Bit Sockets

MM: 3, 4, 5, 5.5, 6, 7, 8, 10 & 12

AF: 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 & 3/8"



IAT FITS ALL STORAGES

nto your chosen storage solution, regardless of whether you have a storage that is portable, 660, 346mm.



8, 10 & 13

\$113.85 inc

+

Hex Impact Bits: Length 30mm, 50mm & 89mm

\$132^{.25} inc

PH0x60, PH1x80 & PH2x100

PZ0x60, PZ1x80 & PZ2x100

\$171.35 inc



105 Piece 1/2" Dr. Metric H/Duty Vehicle Tool Set

Code No. THDV105

This set is ideal for the most common maintenance tasks. All tools are fully organised and everything has it's own specific place making it easy to identify if any tools are missing when packing up after the job is done. The compact, robust case is easy to grab when a job needs to be done!









Vinyl Grip: Side cutters, HD Combination, Quick Set Water Pump

6" & 12" Adjustable Wrenches 1/2" Ratchet & 5" Extension, 17" Flex Handle, 24oz Ball Pein Hammer

Hex Kev Sets Bits Driver & Bits Set Magnetic Pick Up Tool with Pen 125° Hook Tool



\$799.25 inc



40 Piece 1/2" Drive Metric Regular Impact Socket Set

Code No. T9240









Reg & Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 28, 29, 30 & 32mm

Retaining pins (2 pcs) and rings (2 pcs) included

\$458.85 inc



95 Piece Socket & Tool Set

Code No. TM095









Flip reverse ratchet, Universal Joint, 2" & 4" Extension bars, Sliding T har Spire 1. Extension bars, Sliding T bar, Spinner handle, Coupler adaptor, 50mm Magnetic bit holder





Reg: 4-13mm Deep: 4-13mm



Reg: 10-32mm















5/16" Hex bits (





\$343.85 inc

39 Piece 3/8" Dr. Metric Regular / Deep Socket Set

Code No. T3839









Regular: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 & 22mm Deep: 8, 10, 12, 13, 17 & 19mm

16 & 21mm Spark Plug Sockets

1/4" Hex Bits



(x) TX10, TX15 & TX20 (





PZ1 & PZ2

Flip reverse ratchet, Universal joint, 3" Wobble extension bar, 6" Extension Bar, Coupler adaptor, 1/2"Fx3/8"M T bar adptor

\$148.35 inc



21 Piece 1/2" Dr. Metric Regular Socket Set

Code No. T1221









10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30 & 32mm



36 Piece 1/4" Dr. Metric Regular / Deep Socket Set

Code No. T1436









Regular: 4, 5, 5.5, 6, 7, 8, 10, 11, 12 & 13mm Deep: 6, 7, 8, 10, 12 & 13mm

1/4" Hex Bits



TX10, TX15 & TX20



\$86^{.25} inc

Flip reverse ratchet, 2 1/2" & 6" Extension Bars, Universal Joint, 3/8"Fx1/2"M T-bar adptor

\$182.85 inc



BELT CLIP BITS SETS

HOLD 4 SETS IN A SINGLE TT1 TRAY





STORAGE TRAY TT1

Code No. TTTJ04

\$16.00 \$18.40 inc

FOR 4X TJ SETS

1

Code No. TJ1429

\$79.00 \$90.85 GST

MIXED IMPACT BIT SET



Code No. TJ1413 \$39.00 \$44.85 inc GST

MIXED IMPACT BIT SET

Code No. TJ1430 \$75.00 \$86.25 inc \$86.25 inc



TX IMPACT BIT SET



Code No. TJ1414 \$39.00 \$44.85 inc GST

MIXED BIT SET



Code No. TJ028 \$39.00 \$44.85 inc \$44.85 GST



1/4" SOCKET SET 6 PT



Code No. TJ1419 \$65.00 \$74⁷⁵ inc GST



SCREW EXTRACTOR SET



Code No. TJSE05S \$33.00 \$37.95 inc \$37.95 est



HOOK & PICK SET



Code No. TJ149 \$26.00 \$29.90 inc sst



1/4" TWIST
EXTRACTOR SET

Code No. TJEP05 \$75.00 \$86.25 inc \$86.25 GST





while stock lasts



140 Piece General Service Metric Starter Kit


Code No. TC8140NF





- 6 Drawer
- ≥ 26" Wide Box
- 3 Step Ball Bearing Slides
- Heavy Gauge Steel
- Comfort Grip Handle
- 5-Step Rust Protection
- Combination Lock











- A comprehensive mechanics starter kit built up using the TengTools Tool Control system
- Supplied in a red TengTools 26" 6 drawer top box with 3 full width drawers and 3 smaller drawers secured with a combination lock
- Drop front with the TengTools logo to cover the drawers when the box is closed
- · A handy lightweight plastic and aluminium tote tray is included for taking tools to the job in hand



280 Piece General EVA Foam Tool Kit

Code No. TCMME09C





- 7 Drawer
- 26" Wide Cabinet
- Heavy Gauge Steel
- 5 Step Rust Protection
- 5" Castor Wheels with Brakes
- 3 Step Ball Bearing Slides
- Comfort Grip Handle
- Combination Lock



Drawer 4/7

Drawer 2/7



Drawer 5/7



Drawer 3/7



Drawer 6 & 7/7

\$3190^{.10} GST

- · A comprehensive 280 piece tool kit with all tools laid out in two-colour pre-cut EVA foam which clearly shows if any tools are not in their correct place. • Supplied in the Teng Tools TCW807N roller cabinet with ball bearing slides.



277 Piece PRO Cabinet Tool Kit

Code No. TCMME09CQ





- 7 Drawer
- 26" Wide Cabinet
- Heavy Gauge Steel
- 5 Step Rust Protection
- 6" Castor Wheels with Brakes
- 3 Step Ball Bearing Slides Comfort Grip Handle
- Combination Lock
- Single Drawer Opening Safety Feature • 72 teeth spanners with 1/4", 3/8" Drives with sockets from 4mm up to 22mm • Combination Spanners from 5.5 to 38mm



Drawer 1/5







Drawer 4/5



Drawer 5/5

 $$3276^{.35}\,_{GST}^{inc}$

25 different types of screwdrivers and a mixed selection of different bits in 25 and 50mm length together with a ratcheting bit driver
 A set with nut drivers in sizes from 5.5 to 13mm and T-handles in both hex 2.5 to 8mm and TX/TP from 10 to 40
 14 different pliers that will cover most application. Vinyl grips for slim design allows for greater access in tight places

TENG SELL OUT - WHILE STOCK LASTS TENGTOOLS





6 Drawer 8 Series Top Box

Code No. TC806NF



- Drop front with the TengTools logo to cover the drawers when the hov is closed
- Each full width drawer is suitable for holding 4 TengTools TC1
- Supplied with an EVA drawer mat and plastic trimmed handle A handy lightweight plastic and aluminium tote tray is
- included Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with rubber feet to prevent it from sliding and to
- avoid scratching

 Use with the tool modules from the TT Series or FOAM Series in the TengTools Tool Control system to build your ultimate

4-		OF	inc
44	. / ∹	co.	CCT

6	Drawer
	26" Wide Box
(3 Step Ball Bearing Slides

Comfort Grip Handle	
Heavy Gauge Steel	

- Combination Lock
- 5-Step Rust Protection

					T
	Width mm	Depth mm	Height mm	Capacity kg	
Overall	660	305	375		Drawer
Drawer 1	170	275	50	8	Thickness
Drawer 2	170	275	50	8	0.7mm
Drawer 3	170	275	50	8	Body Frame Thickness
Drawer 4	569	275	50	30	0.8mm
Drawer 5	569	275	50	30	Weight
Drawer 6	569	275	75	30	23.4kg

6 Drawer 8 Series Roller Cabinet

Code No. TCW806N1



- Five 75mm deep drawers and one 300mm deep drawer
- First Offinit deep drawers and the Softimir deep drawer for storing large items
 Each drawer is suitable for holding 4 TengTools TC1 modules plus a TengTools TCX4 module
 Supplied with an ABS top mat and EVA drawer mats in each

- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
 Use with the tool modules from the TT Series or FOAM
- Series in the TengTools Tool Control system to build your ultimate tool kit

51045.00 5" Castor Wheels with Brakes

Drawer Thickness				\$	1201 ^{.75} gst
1mm		Width mm	Depth mm	Height mm	Capacity kg
Body Frame Thickness	Overall	670	460	813	
1.2 / 1.0mm	Cabinet + Wheels	670	460	960	
Weight	Drawer 1-5	575	380	75	30
59.6kg	Drawer 6	575	380	300	30





eavy Gauge Steel

Comfort Grip Handle

Combination Lock

6 Drawer 8 Series Roller Cabinet

TENGTOOL

460

460

380

380

656

770

150

670

670

575

Code No. TCW806N

- Five 75mm deep drawers and one 150mm deep drawer for storing large items

 Low height making it ideal for use beneath a low
 - workbench
 - Each drawer is suitable for holding 4 TengTools TC1
 - modules plus a TengTools TCX4 module Supplied with an ABS top mat and EVA drawer mats
 - in each drawer
 - in each drawer

 Drawers have ball bearing slides for a smoother and more reliable opening and closing action

 Use with the tool modules from the TT Series or FOAM Series in the TengTools Tool Control system to build vour ultimate tool kit



\$1113.20 inc

30

30







26" Wide Cabinet





leavy Gauge Steel





Combination Lock

Comfort Grip Handle

10 Drawer 8 Series Roller Cabinet



- Six 50mm deep drawers, three 75mm deep drawers and one 150mm deep drawer strong large items
 Each drawer is suitable for holding 4 TengTools TC1 modules
- plus a TengTools TCX4 module
- Supplied with an ABS top mat and EVA drawer mats in each drawer
 Drawers have ball bearing slides for a smoother and more
- reliable opening and closing action
 Use with the tool modules from the TT Series or FOAM Series
- in the TengTools Tool Control system to build your ultimate

\$1199.45 inc



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Comfort Grip Handle







Drawer Thickness

1.2 / 1.0mm

Weight

64kg

Drawer 1-5

Drawer 6-7

575

380

380

1mm

Body Frame Thickness

1.2 / 1.0mm

54ka


7 Drawer 8 Series Roller Cabinet

Code No. TCW807N

Overall

Drawer 6





- Supplied with an ABS top mat and EVA drawer mats in each Drawers have ball bearing slides for a smoother and more
- Is a shift of the tool modules from the TT Series or FOAM Series in the TengTools Tool Control system to build your
- ultimate tool kit



813

960

75

\$1148^{.85} GS

Capac kg

30

30

















Combination Lock

Body Frame

1.2 / 1.0mm

Weight

69ko

9 Drawer Storage Cabinet (no wheels)

Code No. TCW-CAB09

Cabinet

Cabinet +

Drawer 1-6

Drawer7-9

Drawer 10

670

575

575

575

460

380

380

380

813

50

75

150

Designed for use as a heavy duty workshop / warehouse consumable parts / fastener storage unit.

30

30

30

- Red lacquered steel plate.
 Equipped with 9 lockable drawers fitted with ball bearing slides.
- Lock with 2 kevs Net Weight: 62kg

Max. load per drawer - 25kg





3 Step Ball Bearing Slides



Key Lock

\$11/1Q.85 inc

			Ψ	1140	GSI
	Width mm	Depth mm	Height mm	Capa kg	city
Overall	680	465	815		
Drawer 1-9	576	380	50	25	,



Diesel Tanks with 12V Pump



Heavy duty construction with loackable filling cap and pump cover for reliable and secure delivery of diesel.

SPECIFICATIONS

- UV stabilised diesel grade polyethylene polytuff tank
- Power Output: 140W
- Fower Output: 140w
 12V Diesel Power Self priming pump
 40L/Min open flow
 30 min duty cycle, 30 min on/off

- High quality auto shut off trigger
 4m wiring harness with alligator clips
 4m of 3/4" delivery hose with swivel and crimped
- fittings

 Auto shut off gun with swivel
- Suction foot screen filter on internal suction line
- Diesel level indicator
 Hose and gun stores under the lockable cover
 Padlock included

PE3170 - 200L \$1199^{.00}(ex GST) \$1378^{.85}(inc GST)
• Dimension: L 810 x W 680 x H 630mm PF3170 - 2001

PE3172 - 400L \$1599^{.00}(ex GST) \$1838^{.85}(inc GST)
• Dimension: L 1050 x W 710 x H 760mm PE3172 - 400L

57L Portable Fuel Tank

Code No. PE3174

Features

- 57 litre fuel tank on wheels, ideal for farm and rural use as well as marine and recreational use
- Sturdy wheels making it easy to transport and you can take it to go anywhere
 Features 2 brass shut off valves one at the tank and one at the hose. This allows for easy disconnect with no fuel spillage
 Patented pump handle that looks just like the ones you use at the gas station. It features a child lock for
- added safety and it has a flow rate of 7.5 litre per minute in the siphon mode

- Specification
 57L Fuel
 Material: HDPE

- Flow Rate: 2ga/min
 Weight: 8.7kg
 Compatible with: Gasoline /Diesel/Kerosene



\$304.75 inc

40" Workshop Creeper

Code No. PE1024



- SPECIFICATIONS

 Spec. with Dual Tool Trays

 Ergonomic Light Weight HDPE Body

- Capacity: 150kg
 Length: 40"(1020mm)
 6x 3" Swivel Casters Oil Resistant
 Soft Head Pad for comfort Net Weight: 3.5kg

\$90.85 inc

750mm Industrial / Commercial Pedestal Fan

Code No. PE1015

Designed for industrial use, solid construction with long life commercial motor These industrial fans are excellent for work sites, workshops, warehouses, garages or sheds.

- SPECIFICATIONS
 240V / 50Hz 280W
 3 Speed Motor 1400rpm (max)
 750mm Alloy 3-Blade Fan
 Air Flow Delivery upto 290m³/min
 dB(A) 86
 Cast Iron Base for Stability
 28 to 90° Cecilating Angle

- Or to 90° Oscillating Angle
 Metal Oscillating Gears
 Adjustable Height 1235 to 1760mm (Blade Centre)
 NW / GW 19kg / 20kg

Note: This fan is designed for industrial/commercial use, not recommended for home use









750mm Industrial / Commercial Wall Fan

Code No. PF1026

Designed for industrial use, solid construction with long life commercial motor. These industrial fans are excellent for work sites, workshops, warehouses, garages or sheds.

SPECIFICATIONS

- 240V / 50Hz 280W
- 3 Speed Motor 1400rpm (max)

 750mm Alloy 3-Blade Fan

 Air Flow Delivery upto 290m³/min
- dB(A) 86

• dB(A) - 86
• Heavy Duty Wall Fixing Plate
• 0° to 90° Oscillating Angle
• Metal Oscillating Gears
• NW / GW - 11kg / 12kg

Note: This fan is designed for industrial/commercial use, not recommended for home use.







Industrial Ventilation Fans

This high performance portable ventilator fan has been specifically designed for use in commercial, industrial & agricultural environments. It ensures a constant flow of fresh, clean air by rapidly extracting stale or dust filled air.

\$586.50 (inc GST)

\$1058^{.00}(inc GST)

\$1148.85_(inc GST)

- Complete with 5M of Flexible Ducting (-30° to +80°C)
- 2850rpm

- PE1140 \$479⁰⁰(ex 651)

 240V / 50Hz 145W

 200mm Alloy Multi Blade Fan

 Air delivery: 25m³/min

 Static Pressure 245Pa

 dB(Δ) 62

- dB(A) 63 Overall Dimensions - H 330 x W 260 x L 350mm
- Net Weight 6.0kg
- PE1025 \$510⁻⁰⁰ (ex GST)
 240V / 50Hz 320W
 300mm Alloy Multi Blade Fan
 Air Delivery 65m³/min
- AIT Delivery 65m³/min
 Static Pressure 373Pa
 dR(A) 74
- dB(A) 71
- Overall Dimensions H 410 x W 330 x L 425mm
- Net Weight 9.0kg

\$920^{.00}(ex GST)

- 240V / 50Hz 1000W 400mm Alloy Multi Blade Fan Air Delivery 96m³/min Static Pressure 700Pa

- dB(A) 80 Overall Dimensions H 580 x W 550 x L 360mm Net Weight - 21kg
- \$999.00_(ex GST) • 240V / 50Hz 1450W • 450 m Alloy Multi Blade Fan • Air Delivery - 162m³/min
- Static Pressure 972Pa
- dB(A) 83







2000kg Bottle Jack Hydraulic

Code No. TM822-02000

- Specifications
 Working Load Limit: 2000kg
 Height Lowered: 193mm
 Height Raised: 368mm
 Lift Height: 115mm
 Screw Height: 60mm
 Not Weight: 2 64g

- Net Weight: 3.6kgProduct Size: 97 x 113 x 193mm





ITM Heavy Duty Long Hydraulic Floor Jacks

- Heavy duty steel frame for maximum durability
 Long frame for easy access lift point
 Safety-overload system
 Additional foot pedal control provides quick set-up and lift
- Oversized swivel casters for easy mobility
 Complies with mandatory Australian Standard AS/NZS 2615:2016

Specifications

- Height Lowered: 160mm
 Height Raised: 560mm

TM828-04000

\$1389^{.00}(ex GST) Working Load Limit: 4000kg
 Net Weight: 129kg

\$1889.00_(ex GST) TM828-08000

Working Load Limit: 8000kg
 Net Weight: 152kg





\$1597.35 (inc GST)

\$2172.35 (inc GST)



35000kg Heavy Duty Air Floor Jack

Code No. TM828-35000

Features

- Ideal for lifting heavy trucks, buses, agricultural and construction equipment
 Heavy duty steel frame for maximum durability
 Two style operation: Air and hydraulic (includes handle for hydraulic
- operation)
- operation;
 Long T-handle allows for easy positioning under vehicles with large overhangs
 Large wheels for easy manoeuvrability

- Self-retracting spring return feature
 Complies with mandatory Australian Standard AS/NZS 2615:2016

Specifications

- Specifications
 Working Load Limit: 35,000kg
 Height Lowered: 250mm
 Height Raised: 495mm
 Air Pressure: 0.7 1.2Mpa
 Ram Lift: 130mm

- Net Weight: 46kg

29.00

\$952.20 inc



Ratchet Jack Stands

- Complies with mandatory Australian Standard AS 2538:2016
- TM820-01500 \$65.00(ex GST)
- Working Load Limit: 1500kg
 Min. Height: 280mm
- · Max Height: 400mm
- Net Weight: 5.2kg
- TM820-02000
- \$79.00_(ex GST)
- Working Load Limit: 2000kg
 Height Lowered: 295mm
 Height Raised: 430mm
 Net Weight: 6.9kg
- \$159^{.00}(ex GST) TM820-04000 Working Load Limit: 4000kg
- Height Lowered: 392mm
 Height Raised: 613mm
 Net Weight: 15.3kg

\$302.00 (ex GST) TM820-08000

- Working Load Limit: 8000kg Height Lowered: 465mm
- Height Raised: 715mm
- · Net Weight: 29kg





Safety Cargo Nets - General Duty

- Tough elastic bungee cord & 24x large polypropylene hooks
 High strength & robust design
 U.V. stabilised mesh
 This product should only be used for covering cargo It should not be used in place of a ratchet tie-down \$137^{.00}(ex GST) \$157^{.55}(inc GST)
- TM9420-20018 Small 2M Width 1.8M Length
- **TM9420-25020 -** Medium 2.5M Width 2M Length
- TM9420-25036 Large
- \$163.00_(ex GST)
- - \$257^{.00}(ex GST)









Ratchet Strap (Single Pack)

- Heavy duty 100% polyester
- Heavy duty 100% polyester
 Long life, highly wear resistance and durable for demanding applications
 Hook & Keeper at both ends
 Tested & certiffied to AS/NZS 4380

\$12^{.00}(ex GST) • Length: 5m

· Length: 6m

· Length: 9m

- TM9401-02505
- Width: 25mmLashing Capacity: 750kg

TM9401-03506 · Width: 35mm

Lashing Capacity: 1500kg

TM9401-05009

- Lashing Capacity: 2500kg
- TM9401-05019 Orange
- Width: 50mm
 Lashing Capacity: 2500kg
- TM9401-07512 Width: 75mm
 Lashing Capacity: 5000kg
- Length: 9m

\$29.90 inc



\$93.00 (ex GST) **\$106**.95 (inc GST) • Length: 12m





Ratchet Strap (2 Pack)

Code No. TM9402-03804

- Features Heavy duty 100% polyester
 Long life, highly wear resistance and durable for demanding
- applications

 Hook & Keeper at both ends Tested & certifified to AS/NZS 4380
- Specifications
- Width: 38mm
 Length: 4.5m
 Lashing Capacity: 600kg







Code No. TM9404-02504

Features

- Heavy duty 100% polyester
 Long life, highly wear resistance and durable for demanding applications
- · Hook & Keeper at both ends Tested & certifified to AS/NZS 4380

- Specifications
 Width: 25mm
 Length: 4m
- Lashing Capacity: 350kg







LIFTING, RIGGING & LOAD RESTRAINT

Heavy Duty Chain Block Lifts

- Colour coded to W.L.L. for safety
- Colour Codea to W.L.L. for safety
 Load limited protection system
 Automatic double pawl braking system
 Hooks fitted with spring safety latches
 Grade 80 chain
 Tested & certified to AS 1418.2
 Test certificate supplied





PART NO.	W.L.L. CAPACITY	STANDARD LIFT	PRI	CE
PART NO.	W.L.L. CAPACITY	STANDARD LIFT	ex GST	inc GST
TM9020-00202	250kg (Grey)	2 Metre	\$191 ^{.00}	\$219 ^{.65}
TM9022-00503	500kg (White)	3 Metre	\$242 ^{.50}	\$278 ^{.88}
TM9022-00506	500kg (White)	6 Metre	\$297 ^{.00}	\$341.55
TM9022-01003	1000kg (Violet)	3 Metre	\$265. ⁰⁰	\$304 ^{.75}
TM9022-01006	1000kg (Violet)	6 Metre	\$329 ^{.00}	\$378 ^{.35}
TM9022-02003	2000kg (Green)	3 Metre	\$370.00	\$425 ^{.50}
TM9022-02006	2000kg (Green)	6 Metre	\$437 ^{.50}	\$503 ^{.13}
TM9022-03003	3000kg (Yellow)	3 Metre	\$426 ^{.00}	\$489 ^{.90}
TM9022-03006	3000kg (Yellow)	6 Metre	\$565 ^{.50}	\$650 ^{.33}
TM9022-05003	5000kg (Red)	3 Metre	\$660 ^{.00}	\$759 ^{.00}
TM9022-05006	5000kg (Red)	6 Metre	\$798 ^{.50}	\$918 ⁻²⁸



DARTNO	PART NO. W.L.L. CAPACITY BEAM WIDTH		PRI	CE
PART NO.	W.L.L. CAPACITY	ACITY BEAM WIDTH		inc GST
TM9100-00500	500kg (White)	64-152mm	\$145 ^{.00}	\$166 ^{.75}
TM9100-01000	1000kg (Violet)	64-203mm	\$196 ^{.50}	\$225 ^{.98}
TM9100-02000	2000kg (Green)	88-203mm	\$267 ^{.00}	\$307 ^{.05}
TM9100-03000	3000kg (Yellow)	100-305mm	\$416 ^{.00}	\$478 ^{.40}
TM9100-05000	5000kg (Red)	114-305mm	\$582 ^{.00}	\$669 ^{.30}

ITM Beam Clamps

- Durable all steel construction
- Colour coded to W.L.L. for safety
 Tested & certified to AS 4991

FROM



DARTNIC	WILL CARACITY	APACITY BEAM WIDTH		CE
PART NO.	W.L.L. CAPACITY	BEAM WIDTH	ex GST	inc GST
TM9121-01023	1000kg (Violet)	75-230mm	\$128 ^{.00}	\$147 ^{.20}
TM9121-02023	2000kg (Green)	75-230mm	\$143 ^{.50}	\$165 ^{.03}
TM9121-03032	3000kg (Yellow)	80-320mm	\$245 ^{.00}	\$281 ⁷⁵
TM9121-05032	5000kg (Red)	90-320mm	\$274 ^{.00}	\$315.10
TM9121-10032	10000kg (Orange)	90-320mm	\$450.00	\$ 517 .50

Lever Hoists

- 1.5m standard lift
 Colour coded to W.L.L. for safety
 Load limited protection system
 Automatic double pawl braking system
 Hooks fitted with spring safety latches
- Grade 80 chain
- Grade 80 chainTested & certified to AS 1418.2Test certificate supplied



	Ψ217 931			
PART NO.	W.L.L. CAPACITY	STANDARD LIFT	PRICE	
PART NO.	W.L.L. CAPACITY	STANDARD EII T	ex GST	inc GST
TM9040-00201	250kg (Grey)	1.5 Metre	\$189 ^{.00}	\$217 ^{.35}
TM9040-00501	500kg (White)	1.5 Metre	\$239 ^{.00}	\$274 ^{.85}
TM9042-00701	750kg (White)	1.5 Metre	\$269 ^{.00}	\$309 ^{.35}
TM9042-01501	1500kg (Violet)	1.5 Metre	\$324 ^{.50}	\$373.18
TM9042-03001	3000kg (Yellow)	1.5 Metre	\$471 ^{.50}	\$542 ^{.23}
TM9042-06001	6000kg (Brown)	1.5 Metre	\$710 ^{.00}	\$816 ^{.50}
TM9042-09001	9000kg (Orange)	1.5 Metre	\$1109 ^{.00}	\$1275 ^{.35}

Lever Builder Wire Rope Hoists

- Robust construction

 Dual brake system & safety auto brake in case of power loss

 Optional cordless remote available TM9006-REMOTE

 Tested & certified to AS 1418.2

- Specifications
 Standard Lift: 30m
 7m Length pendant controller with Emergency Stop

FROM

\$1457.05 inc

	Cr.	Industrial	Rated	Net	Pri	ice	
Part No.	Std Lift	Grade 240V Motor	Capacity	Weight	ex GST	inc GST	L
TM9006-30030	30m	1600W	300kg	20.9kg	\$1267 ^{.00}	\$1457 ^{.05}	1
TM9006-36060	60m	1600W	360kg	29kg	\$1312 ^{.50}	\$1509 ^{.38}	M
TM9006-50030	30m	1800W	500kg	28kg	\$1455 ^{.00}	\$1673 ^{.25}	1



FROM

\$315.68 inc



- Features:
 3m Standard lift
 360° Rotation on hand chain
- Lightweight aluminium construction
- Compact & portable design
 Tested & Certified To AS1418.2

	Rated		Net	Pri	ce
Part No.	Capacity		Weight	ex GST	inc GST
TM9026-00203	250kg	3.2mm Grade 100 Chain	2.5kg	\$274 ^{.50}	\$315 ^{.68}
TM9026-00503	500kg	4.3mm Grade 100 Chain	4.5kg	\$301.00	\$346 ^{.15}
TM9026-01003	1000kg	4.3mm Grade 100 Chain	8.5kg	\$365.00	\$419 ^{.75}



FLAT WEB LIFTING SLINGS



1000kg Rated Capacity

• Violet colour coded to W.L.L. for safety • 0.5m to 10m lengths available

PARTNO	LENGTH	··· CCT	inc
PART NO.	LENGTH	ex GST	GST
TM9160-01005	0.5M	\$ 5 .00	\$5 ^{.75}
TM9160-01010	1M	\$7 .50	\$8 .63
TM9160-01015	1.5M	\$9 .50	\$10 ^{.93}
TM9160-01020	2M	\$12 ^{.00}	\$13 ^{.80}
TM9160-01025	2.5M	\$14 .50	\$16 ^{.68}
TM9160-01030	3M	\$16 ^{.50}	\$18 ^{.98}
TM9160-01040	4M	\$19 ^{.00}	\$21 ^{.85}
TM9160-01050	5M	\$26 ^{.50}	\$30.48
TM9160-01060	6M	\$32 ^{.00}	\$36 ^{.80}
TM9160-01080	8M	\$38.00	\$4370
TM9160-01100	10M	\$47.00	\$54 ^{.05}





2000kg Rated Capacity

Green colour coded to W.L.L. for safety
 1.0m to 10m lengths available

PART NO.	LENGTH	ex GST	inc GST
TM9160-02010	1M	\$13 ^{.50}	\$15 ^{.53}
TM9160-02015	1.5M	\$18 ^{.00}	\$20 ^{.70}
TM9160-02020	2M	\$22 ^{.00}	\$25 ^{.30}
TM9160-02025	2.5M	\$26 ^{.50}	\$30.48
TM9160-02030	ЗМ	\$28 ^{.00}	\$32.20
TM9160-02040	4M	\$36 ^{.00}	\$41.40
TM9160-02050	5M	\$48 ^{.00}	\$55 ^{.20}
TM9160-02060	6M	\$ 52 .00	\$59.80
TM9160-02080	8M	\$ 75 .00	\$86 ^{.25}
TM9160-02100	10M	\$ 90 .50	\$104 ^{.08}



FROM \$15.53 inc



ITM 3000kg Rated Capacity

• Yellow colour coded to W.L.L. for safety Lengths available 1 - 12m

NGTH	ex GST
1M	\$18 .50

LENGTH	ex GST	inc GST
1M	\$18 ^{.50}	\$21 ^{.28}
1.5M	\$26 ^{.50}	\$30.48
2M	\$29 ^{.50}	\$33 ^{.93}
2.5M	\$39 ^{.50}	\$45 ^{.43}
ЗМ	\$42.00	\$48.30
4M	\$ 54 .00	\$ 62 .10
5M	\$ 70 .00	\$80.50
6M	\$78 ^{.50}	\$90.28
8M	\$111 ^{.00}	\$127 ^{.65}
10M	\$133 ^{.00}	\$152 ^{.95}
12M	\$157 ^{.50}	\$181 ^{:13}
	1M 1.5M 2M 2.5M 3M 4M 5M 6M 8M	1M \$18.50 1.5M \$26.50 2M \$29.50 2.5M \$39.50 3M \$42.00 4M \$54.00 5M \$70.00 6M \$78.50 8M \$111.00



FROM \$21.28 inc

ITM 4000kg Rated Capacity

· Grey colour coded to W.L.L. for safety Lengths available 2 - 12m

THE						
inc GST	ex GST	LENGTH	PART NO.			
\$50 ^{.03}	\$43 ^{.50}	2M	TM9160-04020			
\$60 ^{.95}	\$53 ^{.00}	2.5M	TM9160-04025			
\$ 74 .75	\$65 ^{.00}	ЗМ	TM9160-04030			
\$89.13	\$77 .50	4M	TM9160-04040			
\$108 ^{.68}	\$94 .50	5M	TM9160-04050			
\$125 ^{.35}	\$109 ^{.00}	6M	TM9160-04060			
\$173 ^{.65}	\$151 ^{.00}	8M	TM9160-04080			
\$208.73	\$181 ^{.50}	10M	TM9160-04100			
\$257.60	\$224.00	12M	TM9160-04120			

FROM

\$50.03 inc



IT!! 5000kg Rated Capacity

Red colour coded to W.L.L. for safety
Lengths available 2 - 12m





FROM \$60^{.95} inc



6000kg Rated Capacity

• Brown colour coded to W.L.L. for safety • Lengths available 2 - 12m

		4
LENGTH	ex GST	inc GST
2M	\$78 ^{.50}	\$90 ^{.28}
2.5M	\$ 93 .00	\$106 ^{.95}
ЗМ	\$106 ^{.50}	\$122 ^{.48}
4M	\$133 ^{.00}	\$152 ^{.95}
5M	\$157 ^{.50}	\$181 ^{:13}
6M	\$187 ^{.50}	\$215 ^{.63}
8M	\$241.00	\$277 ^{.15}
10M	\$301.50	\$346 ^{.73}
12M	\$350.00	\$402.50
	2M 2.5M 3M 4M 5M 6M 8M	2M \$78.50 2.5M \$93.00 3M \$106.50 4M \$133.00 5M \$157.50 6M \$187.50 8M \$241.00 10M \$301.50



FROM \$90.28 inc



TM9160-05120

ITM 8000kg Rated Capacity

· Blue colour coded to W.L.L. for safety Lengths available 3 - 12m



PART NO.	LENGTH	ex GST	inc GST
TM9160-08030	ЗМ	\$169 ^{.50}	\$194 ^{.93}
TM9160-08040	4M	\$212 ^{.00}	\$243 ^{.80}
TM9160-08050	5M	\$241 ^{.00}	\$277 ^{.15}
TM9160-08060	6M	\$290 ^{.50}	\$334.08
TM9160-08080	8M	\$375 ^{.50}	\$431 ^{.83}
TM9160-08100	10M	\$447 ^{.50}	\$514 ^{.63}
TM9160-08120	12M	\$535 ^{.50}	\$615 ^{.83}

FROM \$194^{.93} GST



Orange colour coded to W.L.L. for safety
 Lengths available 4 - 12m





**** WLL 10000



LIFTING, RIGGING & LOAD RESTRAINT

1 Leg Chain Slings

- Grade 80 lifting chain & fittings
 Includes shortening grab hook & clevis sling hook with safety latch
 Tested and certified to AS 3775.1
 Test tag supplied with every chain sling

1 LEG 8MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. DIRECT LOAD	ex GST	inc GST
TM9801-08010	1M	2T	\$139.00	\$159.85
TM9801-08020	2M	2T	\$169 ^{.00}	\$194 ^{.35}
TM9801-08030	ЗМ	2T	\$189 ^{.00}	\$217 ^{.35}
TM9801-08060	6M	2T	\$269 ^{.00}	\$309 ^{.35}

1 LEG 10MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. DIRECT LOAD	ex GST	inc GST
TM9801-10010	1M	3.2T	\$199 ^{.00}	\$228 ^{.85}
TM9801-10020	2M	3.2T	\$259 ^{.00}	\$297 ^{.85}
TM9801-10030	3M	3.2T	\$289.00	\$332 ^{.35}
TM9801-10060	6M	3.2T	\$419 ^{.00}	\$481 ^{.85}

1 LEG 13MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. DIRECT LOAD	ex GST	inc GST
TM9801-13010	1M	5.3T	\$359.00	\$412 ^{.85}
TM9801-13020	2M	5.3T	\$419 ^{.00}	\$481 ^{.85}
TM9801-13030	3M	5.3T	\$489.00	\$562 ^{.35}
TM9801-13060	6M	5.3T	\$689 ^{.00}	\$792 ^{.35}

Features for Dee Shackles

- Drop forged, quenched and temperedGalvansied finish
- Tested and certified to AS 2741



Dee Shackle Yellow Pin GS Screw Pin

PART NO.	NOMINAL SIZE	W.L.L.	ex GST	inc GST
TM9200-00506	6mm (1/4")	0.5T	\$3. 50	\$4. 03
TM9200-00708	8mm (5/16")	0.75T	\$4.00	\$4. 60
TM9200-01010	10mm (3/8")	1T	\$5. 50	\$6. ³³
TM9200-01511	11mm (7/16")	1.5T	\$7. 00	\$8. 05
TM9200-02013	13mm (1/2")	2T	\$9. 00	\$10. ³⁵
TM9200-03216	16mm (5/8")	3.25T	\$14. ⁰⁰	\$16. ¹⁰
TM9200-04719	19mm (3/4")	4.75T	\$22. ⁰⁰	\$25.30
TM9200-06522	22mm (7/8")	6.5T	\$32.50	\$37.38
TM9200-08525	25mm (1")	8.5T	\$45. ⁵⁰	\$ 52 . ³³
TM9200-09529	29mm (1-1/8")	9.5T	\$68. ⁰⁰	\$ 78. ²⁰
TM9200-12032	32mm (1-1/4")	12T	\$ 92. ⁵⁰	\$106. ³⁸
TM9200-13035	35mm (1-3/8")	13.5T	\$128. ⁰⁰	\$147. ²⁰
TM9200-17038	38mm (1-1/2")	17T	\$163. ⁵⁰	\$188. ⁰³
TM9200-25044	44mm (1-3/4")	25T	\$293. [∞]	\$336. ⁹⁵
TM9200-35050	50mm (2")	35T	\$ 420. [∞]	\$483.00



Features for G80 Components

- Premium-grade heat treated alloy steel
- Specifications, batch and brand markings as per AS requirements
- Tested and certified to AS 3776



G80 Eye Shortening Grab Hook

PART NO.	CHAIN SIZE	W.L.L.	ex GST	inc GST
TM9804-01406	6mm	1.12T	\$8.00	\$9 .20
TM9804-01407	7-8mm	2T	\$13 ^{.00}	\$14 ^{.95}
TM9804-01410	10mm	3.15T	\$30 ^{.50}	\$35.08
TM9804-01413	13mm	5.3T	\$ 51 .50	\$59 ^{.23}
TM9804-01416	16mm	8T	\$ 98 .50	\$113 ^{.28}
TM9804-01420	20mm	12.5T	\$161 ^{.00}	\$185 ^{.15}
TM9804-01422	22mm	15T	\$286.00	\$328 ^{.90}
TM9804-01426	26mm	21.2T	\$971 ^{.50}	\$1117 ^{.23}
TM9804-01432	32mm	31.5T	\$2041 ^{.50}	\$2347 ^{.73}



ITM 2 Leg Chain Slings

2 LEG 6MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. at 120°	ex GST	inc GST
TM9802-06020	2M	1.1T	\$209.00	\$240.35

2 LEG 8MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. at 120°	ex GST	inc GST
TM9802-08010	1m	2T	\$255.00	\$293 ^{.25}
TM9802-08020	2m	2T	\$319 ^{.00}	\$366 ^{.85}
TM9802-08030	3m	2T	\$359.00	\$412 ^{.85}
TM9802-08040	4m	2T	\$419 ^{.00}	\$481 ^{.85}
TM9801-08060	6m	2T	\$519.00	\$596 ^{.85}
TM9801-08100	10m	2T	\$739.00	\$849.85

2 LEG 10MM CHAIN

PART NO.	CHAIN LENGTH	W.L.L. at 120°	ex GST	inc GST
TM9802-10010	1m	3.2T	\$399.00	\$458 ^{.85}
TM9802-10020	2m	3.2T	\$489.00	\$562 ^{.35}
TM9802-10030	3m	3.2T	\$569.00	\$654 ^{.35}
TM9802-10040	4m	3.2T	\$649.00	\$746 ^{.35}
TM9802-10060	6m	3.2T	\$799.00	\$918 ^{.85}

2 LEG 13MM CHAIN

Z EEO ISMINI OI IAM					
PART NO.	CHAIN LENGTH	W.L.L. at 120°	ex GST	inc GST	
TM9802-13010	1m	5.3T	\$ 599 .00	\$688 ^{.85}	
TM9802-13020	2m	5.3T	\$719 ^{.00}	\$826 ^{.85}	
TM9802-13030	3m	5.3T	\$829.00	\$953 ^{.35}	
TM9802-13040	4m	5.3T	\$959.00	\$1102 ^{.85}	
TM9802-13060	6m	5.3T	\$1299.00	\$1493 ^{.85}	
TM9802-13080	8m	5.3T	\$1555.00	\$1788 ^{.25}	





Dee Shackle Yellow Pin GS Safety Pin

PART NO.	NOMINAL SIZE	W.L.L.	ex GST	inc GST
TM9202-02013	13mm (1/2")	2.0T	\$9. 50	\$10. ⁹³
TM9202-03216	16mm (5/8")	3.25T	\$15. ⁵⁰	\$17. ⁸³
TM9202-04719	19mm (3/4")	4.75T	\$25.00	\$28. ⁷⁵
TM9202-06522	22mm (7/8")	6.5T	\$38. ⁵⁰	\$44. ²⁸
TM9202-08525	25mm (1")	8.5T	\$50. ⁵⁰	\$58. ⁰⁸
TM9202-09529	29mm (1-1/8")	9.5T	\$ 75 . ⁵⁰	\$86. ⁸³
TM9202-12032	32mm (1-1/4")	12.0T	\$103. ⁵⁰	\$119. ⁰³



ITM G80 Lifting Chain Black Tempered

- Premium-grade heat treated alloy steel
 Marked with chain grade and traceability mark
 Tested and certified to AS 2321
 Safety factor 4:1
 Safety factor 4:1
 Safety factor 4:1
 Safety factor 4:1
 Safety factor 4:1

PART NO.	Nominal Size	W.L.L.	ex GST	inc GST
TM9806-01106	6mm	1.1T	\$12 ^{.00}	\$13 ^{.80}
TM9806-01507	7mm	1.5T	\$15 ^{.50}	\$17 ^{.83}
TM9806-02008	8mm	2T	\$19 ^{.00}	\$21 ^{.85}
TM9806-03210	10mm	3.2T	\$29 ^{.00}	\$33 ^{.35}
TM9806-05313	13mm	5T	\$50 ^{.50}	\$58 ^{.08}
TM9806-08016	16mm	8T	\$78 ^{.00}	\$89 ^{.70}
TM9806-12520	20mm	12.5T	\$134 ^{.50}	\$154 ^{.68}
TM9806-15022	22mm	15.3T	\$171 ^{.00}	\$196 ^{.65}
TM9806-21226	26mm	21.3T	\$326.00	\$374 ^{.90}
TM9806-31532	32mm	32.2T	\$538 ^{.00}	\$618 ^{.70}



G80 Clevis Sling Hook with Safety Latch

PART NO.	CHAIN SIZE	W.L.L.	ex GST	inc GST
TM9804-01206	6mm	1.12T	\$15 ^{.00}	\$17 .25
TM9804-01207	7-8mm	2T	\$23 ^{.50}	\$27 ^{.03}
TM9804-01210	10mm	3.15T	\$41 .50	\$47 ^{.73}
TM9804-01213	13mm	5.3T	\$ 76 .50	\$87 ^{.98}
TM9804-01216	16mm	8T	\$139 ^{.50}	\$160 ^{.43}
TM9804-01220	20mm	12.35T	\$265.00	\$304 ⁷⁵
TM9804-01222	22mm	15T	\$356 ^{.00}	\$409 ^{.40}



PRESSURE WASHERS



3200psi Petrol Pressure Washer

Code No. TM540-3200

- SPECIFICATIONS

 High quality 212cc industrial engine
 Engine Horse Power: 7hp
 Max Pressure: 3200psi (220 Bar)
 Max Flow Rate: 9.5 L/min
 Displacement: 212cc
 Fuel Tank: 3.3Ltr
 Start Tune: Percil

- Start Type: Recoil
 Pump type: 3 Piston Axial Cam Pump
 Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
 Hose Length: 76m



3800psi Petrol Pressure Washer

Code No. TM540-3800

- SPECIFICATIONS

 High quality 274cc industrial engine
 Engine Horse Power: 8hp
 Max Pressure: 3800psi (262 Bar)
 Max Flow Rate: 13.2 L/min
 Displacement: 274cc

- Fuel Tank: 5Ltr

- Start Type: Recoil

 Pump type: 3 Piston Triplex pump with brass head

 Quick connect nozzles: 0°, 15°, 25°, 40°, Soap and turbo nozzle

Hose Length: 15m



\$1953.85 inc



ITM 2500psi Petrol Pressure Washer

Code No. TM542-2500

SPECIFICATIONS

- 5.5hp Genuine Honda GP160 engine, assembled to
- machine in Australia

 Max Pressure: 2500psi (172 Bar)

 Max Flow Rate: 8.7 L/min

- Max Flow Rate: 8.7 L/min
 Displacement: 163cc
 Fuel Tank: 3.1Ltr
 Start Type: Recoil
 Pump type: AR Axial Pump
 Quick connect nozzles: 15°, 25°, 40°, Soap
- Hose Length: 7.6m



\$1551.35 inc

POWERED by

HONDA

3200psi Petrol Pressure Washer

Code No. TM542-3200

SPECIFICATIONS

- SPECIFICATION
 6.5hp Genuie Honda GX200 engine, assembled to
 machine in Australia
 High quality 196cc industrial engine
 Max Pressure: 3200psi (220 Bar)
 Max Flow Rate: 9.5 L/min

- Displacement: 196cc
 Fuel Tank: 3.6Ltr
 Start Type: Recoil

- Pump type: AR Axial Pump
 Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
- Hose Length: 10m



POWERED by

\$2068-85 inc HONDA

ITM 4200psi Petrol Pressure Washer

Code No. TM542-4200

- SPECIFICATIONS

- Start Type: Recoil
 Pump type: AR Triplex Pump
 Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
 Hose Length: 15m



POWERED by

\$4598^{85 inc} HONDA



ITM 380mm (15") Surface Cleaner

Code No. TM541-015

- SPECIFICATIONS
 For use with 3/8" Quick-Connect petrol pressure washer lances
- lances
 Strong PP housing
 Tough bristle brush edge prevents water from splashing
 Head Diameter: 380mm (15")
 Max Pressure: 3200psi (220bar)







- SPECIFICATIONS
- Engine Horse Power: 13hp
 Max Pressure: 4200psi (290 Bar)
 Max Flow Rate: 15.1 L/min
 Displacement: 389cc

- Fuel Tank: 6.1Ltr
- Start Type: Recoil
 Pump type: AR Triplex Pump
 Quick connect nozzles: 0°, 15°, 25°, 40°, Soap
 535mm (21") Surface Cleaner
- · Hose Length: 15M

POWERED by HONDA







Code No. TM541-021

- SPECIFICATIONS
- High quality ABS casing
 Dual stainless steel water jets
 Max pressure 4200PSI
- 4 solid swivel castor wheels
- Strible degle protection prevents water and debris from flicking up
 Frgonomic handle design
 For use with 3/8" Quick-Connect petrol pressure washer
- · Head Diameter: 535mm (21")

\$1263.85 inc





Air Blow Gunes - Bent Nozzles

\$27.50_(ex gst)

SPECIFICATIONS

M7-JC424 - 610mm

Working Pressure: 75-120 PSI
 Max Pressure: 150 PSI
 Avg. Air Consumption (1/4" Hose): 13 CFM
 Avg. Air Consumption (3/8" Hose): 15 CFM

Sound Pressure: 90 dBA

\$10^{.00}(ex gst)

\$14.00 M7. IC410 - 250mm

M7-JC412 - 305mm \$15.50_(ex gst)

\$38^{.00}(ex gst M7-JC435 - 890mm

\$11.50_(inc gst) \$16^{.10}(inc gst) \$17^{.83}(inc gst) \$31.63_(inc gst)



Super Air Glow Gun Venturi Nozzle

Code No. M7-JC640

FEATURES
• 1016mm (40") Super Air Blow Gun

SPECIFICATIONS

SPECIFICATIONS
Working Pressure: 75-120 PSI
Max Pressure: 150 PSI
Avg. Air Consumption (I/4" Hose): 13 CFM
Avg. Air Consumption (3/8" Hose): 15 CFM
Sound Pressure: 90 dBA
Net Weight: 0.34kg

\$89.13 inc





1/2" Dr Air Impact Wrench Composite

Code No. M7-NC4255QH

FEATURES

- Extremely powerful & very lightweight.

- Twin hammer type clutch
 Patented EZ Grease Anvil
 Magnesium alloy & composite material construction.

SPECIFICATIONS

- SPECIFICATIONS

 Square Drive: 1/2"

 Bolt Capacity: 1" (25mm)

 Torque Range: 271-1085Nm (200-800ft-lb)

 Max Torque at 5 seconds: 1627Nm (1200ft-lb)

 Free Speed: 8500 RPM

 Air Requirement: 4.8 CFM / 90 PSI / 1/4" Inlet

 Overall Length: 179mm

 Net Weight: 1.7kg

 Sound Pressure: 85dBA

 Vibration Level: 4.7m/s²





3/4" Dr Air Impact Wrench Composite

Code No. M7-NC6255QH

HUGE 1400ft-lb after 5 seconds in reverse!

Patent grease hole makes greasing process extremely efficient.

SPECIFICATIONS

- SPECIFICATIONS
 Square Drive: 3/4"
 Bolt Capacity: 1" (25mm)
 Torque Range: 271-1491 Nm (200-1100 ft-lb)
 Max Torque @ 5 seconds: 1890Nm (1400ft-lb)
 Free Speed: 8500 RPM
 Air Requirement: 4.8 CFM (136 LPM) / 90 PSI / 1/4" Inlet.
 Overall Length: 179mm
 Net Weight: 1-9kg
 Sound Pressure: 85dBA
 Vibration Level: 4.5m/s²



\$619^{.85} inc



3/8" Dr Air Ratchet Wrench Stubby

Code No. M7-NE351R

FFATURES

3/8" Square Drive Mini Air Ratchet Wrench

SPECIFICATIONS

- Square Drive: 3/8"
 Torque Range: 6.7-20Nm (5-15ft-lb)

- Iorque Range: 6.7-2UNm (5-15ft-lb)
 Max Torque at 5 seconds: 30Nm (22ft-lb)
 Free Speed: 350 RPM
 Air Requirement: 3 CFM / 90 PSI / 1/4" Inlet
 Overall Length: 125mm
 Net Weight: 0.5kg
 Sound Pressure: 89dBA
 Juhacting Level: 4 4 4 1/2*

- · Vibration Level: 4.4m/s



\$216^{.20} inc

Air Hydraulic Riveters

Code No. M7-PA301

FEATURES

Superb quality pneumatic air riveter

SPECIFICATIONS

- STEALFICATIONS

 Traction Power: 2303lb.f / 1045kgf

 Stroke Length: 16mm

 Capacity: 2.4-4.8mm

 Air Requirement: 90PSI / 1.48CFM

 Air Inlet: 1/4"

- Air Inlet: 1/4"
 Net Weight: 1.5kg
 Sound Pressure: 79.7 dBA
 Vibration Level: 0.3m/s²
 Aluminium Rivet & Aluminium Mandrel: 3/16" (4.8mm)

- Aduminium Rivet & Steel Mandrel: 3/16" (4.8mm)
 Aluminium Rivet & Steel Mandrel: 3/16" (4.8mm)
 Steel Rivet & Steel Mandrel: 3/16" (4.8mm)
 Stainless Rivet & Steel Mandrel: 5/32" (4.0mm)
 Stainless Rivet & Stainless Mandrel: 5/32" (4.0mm)
 Includes Mandrel Sizes 2.4, 3.2, 4.0, 4.8mm





Air Die Grinder

Code No. M7-QA111B

FEATURES

- Metal front cap.
 Safety lever throttle

- Sacely lever undule

 SPECIFICATIONS

 Collet Size: 1/4" & 1/8"
 Free Speed: 25000 RPM
 Air Requirements: 10 CFM / 90 PSI
 Inlet: 1/4"
 Overall Length: 155mm
 Rated Power: 0.3HP
 Net Weight: 0.38kg
 Sound Pressure: 81.5 dBA
 Vibration Level: 1.8m/s²



23.00 \$141.45 inc

m7

Air Die Grinder

Code No. M7-QB210B

- **FFATURES**
- Quick Release Collet
 Metal Front Cap
 Safety Lever Throttle

SPECIFICATIONS

- Collet Size: 1/4"
 Free Speed: 20000 RPM
 Air Requirements: 10 CFM / 90 PSI
 Inlet: 1/4"

- Inlet: 1/4"
 Overall Length: 190mm
 Rated Power:0.9HP
 Net Weight: 0.65kg
 Sound Pressure: 75.7 dBA
 Vibration Level: 0.8m/s²



\$221.95 inc



Air Die Grinder

Code No. M7-QA315B

FEATURES Extended air die grinder.Safety lever throttle

- SPECIFICATIONS Collet Size: 1/4" & 1/8"
 Free Speed: 25000 RPM
 Air Requirements: 10 CFM / 90 PSI
- Inlet: 1/4"
- Rated Power:0.3HP
 Sound Pressure: 81.5 dBA
 Vibration Level: 1.8m/s²
- Shaft: 19mm
- Overall Length: 280mm
 Net Weight: 0.63kg
- \$272.55 inc



Air Engraving Pen

Code No. M7-QA511

- **FEATURES**
- Comfortable handle allows smooth operation. Roll throttle
 Longer lifetime and lower vibration.
 Stainless steel front housing eliminates rust.

- SPECIFICATIONS
 Blows Per Minute: 13000BPM
 Hose Length: 1420mm
 Air Requirements: 1 CFM / 90 PSI
 Inlet: 1/4"
 Overall Length: 140mm
 Sound Beneguer: 79 dBA

- Sound Pressure: 78 dBA
 Vibration Level: 0.6m/s² Net Weight 0.23kg



\$205.85 inc

Air Die Grinder (Angle Head)

Code No. M7-QA611B

FEATURES

90° angle head.
 Safety lever throttle

- SPECIFICATIONS
- Inlet: 1/4' • Collet Size: 1/4" & 1/8"
- Collet Size: 1/4 & 1/8
 Free Speed: 19000 RPM
 Overall Length: 160mm
 Air Requirements: 10 CFM / 90 PSI
- Rated Power: 0.3HP
- Nateu Power: U.3HP
 Sound Pressure: 74.4 dBA
 Vibration Level: 1.7m/s²
 Net Weight: 0.51kg



\$192^{.05} inc

\$303^{.03}(inc gst)

\$451^{.38}(Inc gst)

1/4" Dr Mini Die Grinder

Code No. M7-QA651B

FEATURES

Superb quality pneumatic die grinder.

SPECIFICATIONS

- Collet Size: 1/4"
 Free Speed: 18000 RPM

- Free Speed: 18000 RPM
 Air Requirements: 2.7 CFM / 90 PSI
 Inlet: 1/4"
 Overall Length: 127mm
 Net Weight: 0.5kg
 Sound Pressure: 74 dBA
- · Vibration Level: 0.3m/s



Air Belt Sanders



FEATURES

- Superb quality pneumatic belt sander.
 Free Speed: 16000 RPM
 Air Requirements: 4 CFM / 90 PSI
- Inlet: 1/4'
- Sound Pressure: 88 dBA

M7-QB321 \$263.50 (cc gath) - Belt Size: 10mm x 330mm - Overall Length: 320mm - Net Weight: 0.95kg - Vibration Level: 1m/s²

M7-QB322 \$392-50 (except) Belt Size: 20mm x 520mm Overall Length: 430mm Net Weight: 1.4kg Vibration Level: 1.3m/s²

Air Random Orbital Sander No Vacuum

Code No. M7-QB55602

FFATURES

Superb quality pneumatic orbital sander.

SPECIFICATIONS

- Pad Diameter: 150mm (6")
 Free Speed: 10000RPM
 Air Requirements: 3 CFM / 90 PSI
 Inlet: 1/4"

- Overall Length: 157mm
 Rated Power:0.24HP
 Sound Pressure: 81.6 dBA
- · Vibration Level: 7.1m/s
- Orbit: 5mm
 Net Weight: 0.68kg



\$303.60 inc

Deburring Bevelling Machine

Code No. M7-QC512

- Overal length: 105mm
 Weight: 0.5kg





2" / 3" Air Mini High Speed Sander

Code No. M7-QP212

FEATURES

- Superb quality pneumatic sander.Suppplied with 3" Pad

SPECIFICATIONS

- PECLIFICATIONS
 Pad Diameter: 50mm, 75mm (2", 3")
 Free Speed: 18000RPM
 Spindle Size: 1/4" 20
 Air Requirements: 2.1 CFM / 90 PSI
 Inlet: 1/4"

- Inlet: 1/4"
 Overall Length: 107mm
 Rated Power: 0.38HP
 Sound Pressure: 73 dBA
 Vibration Level: 0.9m/s²
 Not Waight: 0.51m
- Net Weight: 0.5kg





1/4" Air Screwdriver Straight Type

Code No. M7-RA608

- FEATURES
 Air inlet: 1/4"
 Screw Capacity: M8
 Air Screwdriver (Twin Dog Type)

SPECIFICATION





00.0 \$887.80 inc

Air Hammer

FEATURES

Code No. M7-SC211C Comes with 5 pce chisel kit

SPECIFICATIONS

- Shank Type: Round
 Shank Size: 10.2mm (0.401")
 Blows Per Minute: 3200BPM
 Air Requirements: 4 CFM / 90 PSI
- Inlet: 1/4"
- Overall Length: 175mm
 Sound Pressure: 98 dBA
 Vibration Level: 12.3m/s²
- Net Weight: 1.7kg





Air Needle Scaler

Code No. M7-SN1288

Needle size: 3 x 123mm (12 per set) Great compact design

- SPECIFICATIONS

FFATURES

- Sound Pressure: 86 dBA
 Vibration Level: 7.67m/s²
- Net Weight: 1.3kg





FFATURES

Air Pistol Needle Scaler

Code No. M7-SN2110

Needle size: 3 x 180mm (19 per set)

- SPECIFICATIONS
- SPECIFICATIONS

 Stroke Length: 33mm

 Blows Per Minute: 3700BPM

 Air Requirements: 15 CFM / 90 PSI
 Inle: 1/4"

 Overall Length: 330mm

 Net Weight: 2.8kg

 Sound Pressure: 97 dBA

 Vibration Level: 9.7m/s²





PACKAGING





That looks 'SCHMICK'!





















SCHMICK

4 Piece Ultimate Care Pack

Code No. SM5003

Keep cleaning easy with the Schmick Mick Ultimate Care Pack. Four of our best selling products to make your car, truck, motorbike, or trailer looking schmick.

- Content
 SM1002 1L Ceramic, Hydro Foam Wash
 SM1007 750ml Tyre Shine
 SM1008 500ml Ceramic Protection
 SM1005 500ml Like New Vinyl &

Plastic Restorer



\$90.85 inc

1L Blizzard Foam Wash

Code No. SM1001

Schmick Mick Blizzard Foam is not your ordinary cleaning solution. It is a game changer, specifically designed to tackle the toughest cleaning challenges with



\$41.40 inc



SCHMICK MICK

Ceramic, Hydro Foam Wash

Schmick Mick Ceramic/Hydro Foam combines the strength Schmick Mick Ceramic/Hydro Foam combines the strength of ceramic and hydro technologies to create a multipurpose, high-performance cleaning product. Its cutting-edge recipe produces a powerful cleaning foam that easily removes dirt, grime, and stains. Helps shield your surfaces from future stains and grime accumulation in addition to providing superb cleaning results. Because of the protective layer that is created by its ceramic technology, dirt is repelled, making it easier to clean with each wash. clean with each wash.

\$28^{.50}(ex GST) SM1002 - 1 \$118^{.00}(ex GST) **SM1004-5** - 5L





SCHMICK MICK

Grime Degreaser

Schmick Mick degreaser, the best remedy for difficult cleaning problems. Designed to remove grease accumulation and leave your surfaces clean and grime-free. Our degreaser is also designed not to fade metal components.

\$28^{.50}(ex GST) SM1003 - 1 **SM1003-5** - 5L \$76^{.00}(ex GST)

\$32^{.78}(inc GST) \$87.40_(inc GST)





Salt Destroyer / Engine Flush

Schmick Mick Salt Destroyer effortlessly breaks down and dissolves salt deposits, eradicating them from causing short and long term damage of your equipment. \$28^{.50}(ex GST)

SM1004 - 1 **SM1004-5 -** 5L \$73^{.00}(ex GST)

\$32^{.78}(inc GST)

\$32.78 (inc GST)

\$135.70_(inc GST)

\$83^{.95}(inc GST)





1L Caravan / RV Wash

Code No. SM1010

Revitalise your caravan or RV with our specialised wash - tough on stains, gentle on your mobile home, ensuring lasting protection and a spotless shine.





SCHMICK

CLEANING & PROTECTION

SCHMICK 500ml Like New Vinyl & Plastic Restorer

Code No. SM1005





Schmick Mick Like New Vinyl & Plastic Restorer is a truly exceptional product that offers a wide range of benefits for revitalizing and restoring vinyl and plastic surfaces.

SCHMICK **500ml Ceramic Protection**

Code No. SM1008



\$41.98 inc

Schmick Mick Ceramic Protection harnesses the power of advanced ceramic technology to create a durable, hydrophobic barrier on your vehicle's surface. This powerful solution provides a protective layer and forms an invisible shield that repels water, dirt, UV rays, and other contaminants, keeping your investment safe from damage and deterioration.

Schmick Mick Ceramic Protection is a breeze to apply. Its easy-to-use application process that allows you to achieve professional results without the need for specialized tools or equipment.

750ml Glass Cleaner

Code No. SM1009



\$24^{.73} inc

Schmick Mick Clear Vision Glass Cleaner uses an advanced formula scrimick whick clear vision class cleaner uses an advanced formula which guarantees streak free results, ensuring that your windows, mirrors, and glass surfaces sparkle like never before. Powerful solution is perfect for a wide range of applications, including automotive windows, household mirrors, glass furniture, and more. It's a must-have for every vehicle owner of in the home.

SCHMICK MICK

20L Ceramic, Hydro Foam Wash



Schmick Mick Ceramic/Hydro Foam combines the strength of ceramic and hydro technologies to create a multipurpose, high-performance cleaning product. Its cutting-edge recipe produces a powerful cleaning foam that easily removes dirt, grime, and stains. Helps shield your surfaces from future stains and grime accumulation in addition to providing superb cleaning results. Because of the protective layer that is created by its ceramic technology, dirt is repelled, making it easier to clean with each wash.

20L Heavy Duty Grime Degreaser



Schmick Mick degreaser, the best remedy for difficult cleaning problems. designed to remove grease accumulation and leave your surfaces clean and grime-free. Our degreaser is also designed not to fade metal components.

Extreme Truck Wash



For that serious wash to remove heavy duty mud, grease and stains from your 4WD, Truck, Motorbike, Caravan or Heavy Machinery

SM4001E-5 - 5L SM4001E-20 - 20L

\$76^{.50}(ex GST) \$126^{.50}(ex GST)

\$87.98 (inc GST) \$145.48 (inc GST)

ACCESSORIES

SCHMICK MICK

100ml Salt Wash Adaptor

Code No. SM2001



\$24.73 inc

troducing the Schmick Mick Salt Wash Adaptor, the best way to easily clean out your engine to remove all salt residue.

Foaming Gun - Garden Hose

Code No. SM2002





The Schmick Foaming Gun is a fantastic tool for performing a high-quality car wash in your driveway. This is a must have item for any vehicle lover or weekend driver thanks to its user friendly design and impressive foaming abilities

SCHMICK

Under Vehicle Washer - Pressure Washer



\$161.00 inc

The Schmick Mick Under Vehicle Pressure Washer is the ideal tool for easily cleaning those challenging spaces underneath your vehicle. No hunching over battling with conventional cleaning techniques. It has never been simpler to get a thorough and spotless clean with the Schmick Under Vehicle Pressure Washer.

SCHMICK Blizzard Foam Gun - Pressure Washer

Code No. SM2004



The Schmick Blizzard Foaming Cannon is designed to create a thick clinging foam that encapsulates your vehicle, allowing the cleaning solution to penetrate deep into every crevice and effectively loosen dirt, grime, and contaminants. This ensures a thorough and efficient clean that leaves your car looking showroom ready.



WORK SHARP Ken Onion Knife & Tool Sharpener MK2 Elite 240V

Code No. WSKTS-KO2-ELT

Features
Flexible Belt Technology - Conforms to any edge to easily create an ideal edge profile.
Leather Lined Angle Guides - Maintain a consistent 15° to 30° angle when sharpening and honing without blade scratching.
Variable Speed Motor - Low-speed control for knives, High-speed power for tools. 7 setting with LED display.

Specifications
- Edge Angles: 15° to 30° Adjustable
- Included Abrasives: Red P120 Grit, Grey X65 (P220) Grit, Grey X22 (1000) Grit, White X4 (3000) Grit. 6000, 12000

• Grit: Red P120 Grit, Red P220 Grit, White X4 (3000) Grit, White X16 (1200) Grit

Weight: 3.2kg
 Warranty: 3 Years

1029.00

\$1183^{.35} inc





WORK SHARP, Ken Onion Knife & Tool Sharpener MK2 240V

Code No. WSKTS-KO2

Features

Flexible Belt Technology - Conforms to any edge to easily create an ideal edge profile.

Leather Lined Angle Guides - Maintain a consistent 15° to 30° angle when sharpening and honing without Variable Speed Motor - Low-speed control for knives, High-speed power for tools. 7 setting with LED

display.

Specifications
- Edge Angles: 15° to 30° Adjustable
- Included Abrasives: Red P120 Grit, Grey X65 (P220) Grit, Grey X22 (1000) Grit, White X4 (3000) Grit,

Purple 6000 Grit

Weight: 1.5kg
 Warranty: 3 Years



WORK SHARP. Knife & Tool Sharpener - Ken Onion Edition

Code No. WSKTS-KO

\$617^{.55} inc

Contents

Contents

5 Pce abrasive belt kit: P120 extra coarse, X65 coarse, X22 medium,
X4 fine, 6000 extra fine.

Adjustable Knife Sharpening Guide 15° to 30°.

User's Guide & Instructional DVD Features.

The 3/4" x 12" premium, flexible engineered abrasive belts sharpen virtually any shape or type of knife blade and use a precision sharpening guide to ensure that you get consistent angle every time.

The sharpening guide is fully adjustable in 1° increments from 15° to 30° so you can sharpen any knife to the angle you desire to best meet your needs.

The variable speed control 6000 to 14000rpm (1,200 SFM to 2,800 SFM) provides you with the optimal belt speed for the task at hand

belt speed for the task at hand.

WSSAKO81112 - Blade Grinder Attachment

Attachment ONLY!

Requires the Ken Onion Edition Knife & Tool Sharpener (WSKTS-KO) to function

Includes

ncludes:
Cool cutting, engineered, long life 1" x 18" belts for shaping, sharpening, honing and stropping
1 pc Norton Norax X65 (equivalent to P220)
1 pc Norax X22 (equivalent to P3000)
1 pc Norax X4 (equivalent to P3000)
1 pc Micro Mesh P12000

\$343.85 inc

WORK SHARP Knife & Tool Sharpener MK2 240V

Code No. WSKTS2-I

\$343^{.85} inc



FEATURES

FEAT UNES

- Pro - Level Sharpening Technology
- Improved precision sharpening guide to ensure that you get the proper angle every time. Quickly toggle between the 25° angle for outdoor and pocket knives and the 20° angle for thinner blades and kitchen

knives
Sharpening Guide design has scratch resistant leather linings to protect blade faces.
Two speed motor, low speed gives more control when sharpening a knife yet still provides all the power you need for heavier sharpening and grinding yet still provides all the power you need for heavier sharpening and grinding tasks on tools like lawnmower blades, axes and other common lawn & garden tools, tasks on tools like lawnmower blades, axes and other common lawn & garden tools.
Easily replaceable abrasive grit belts
Heavydrity manufacture.

Heavy-duty manufacture

CONTENTS

1x Adjustable Knife Sharpening Guide (20° Kitchen & 25° Outdoor) with Serrated Knife Guide & Scissor Guide

6 x Abrasive Belts: 2x P80 Coarse Belt. 2x P220 Medium Belt. 2x 6000 Fine Honing Belt

WORK SHARP Combo Knife Sharpener 240V

Code No. WSKTS-CMB

The Combo Knife Sharpener uses sharpening and honing guides to ensure that you get a perfect and consistent edge angle every time. Includes built in 25° guides for creating an incredibly sharp, long lasting edge on all your knives. This combination of precision guides, flexible abrasive belt technology and a fine ceramic hone lets you sharpen your blades to as sharp as new results with speed, ease and repeatability. This is the fastest and easiest way to get your knives as sharp as you need them to be. Stop tolerating dull knives and time consuming or inconsistent sharpening methods.

Specifications

Specifications
• Sharpening angles: 25° Included abrasives: Red P120 grit

Abrasive size: ½" x 10"

Power button: Single speed
 Duty cycle: 20 minutes/hour



\$194.35 inc



WORKSHARP. Professional Precision Adjust Knife Sharpener

Code No. WSBCHPAJ-PRO

Professional-level sharpener with metal construction
Includes seven (7) abrasive grits: 220, 320, 400, 600 & 800 diamond, Fine Ceramic, Leather Strop
Adjustable Angle from 15-30° with included digital angle indicator.
Small knife table attachment allows sharpening small 'pen knives' to angles as low as 15°

· Abrasives are user replaceable

 Sharpens Kitchen Knives, Pocket Knives, Hunting Knives, and Outdoor Knives Abrasive Size: 1" x 6"











\$915.40 inc GST



WORK SHARP Benchtop Precision Adjust Elite Knife Sharpener

Code No. WSBCHPAJ-ELT



\$573.85 inc

WORKSHARP Precision Adjust Knife Sharpener Code No. WSBCHPAJ-I

SPECIFICATIONS

• Angles: 15° to 30°

Abrasives: Coarse diamond, fine diamond, fine ceramic.



Code No. WSSA0004772



SPECIFICATIONS
Sharpening Angles: 15° to 30° Adjustable
Included Abrasives: Ceramic, Coarse Diamond, Fine Diamond, Leather Strop, Medium Diamond

Abrasive Size: 1/2" x 4" Abrasive Plates

\$320^{.85} inc

Rod and clamp sharpener designed with ease and safety in mind. 15° - 30° Angle Guides Includes 220, 320, 400, 600 & 800 grit diamond plates, ceramic plate, leatherstrop & ceramic rod for serrations. • 3-Year warranty

SPECIFICATIONS

Sharpening Angles: 15° to 30° Adjustable
Included Abrasives: Ceramic, Coarse Diamond, Fine Diamond, Leather Strop & Medium Diamond
Abrasive Size: 1/2" x 4" Abrasive Plates

WORK SHARP Rolling Knife Sharpener

Code No. WSKTNRKS-I

FEATURES
The Work Sharp Rolling Knife Sharpener is a handheld manual sharpener that uses a Magnetic Angle Block and Rotating Abrasives to quickly and easily sharpen your knives.

SPECIFICATIONS

Sharpening Angles: 15°, 17°, 20°, 25°
Included Abrasives: Coarse 320 Grit Diamond, Fine 600 Grit Diamond, Fine Ceramic
Weight: 3.3kg









WORK SHARP Benchstone Knife Sharpener



SPECIFICATIONS

• 20° & 25° Sharpening guides. • Tri-Brasive™ System - medium grit diamond, fine grit diamond and fine ceramic

Pivot-Response™ System follows curve of the blade

WORKSHARP Whetsone Knife Sharpener



SPECIFICATIONS

15° & 17° removeable sharpening guides.
 Dual-grit water stone - 1000/6000 aluminium oxide.

Water control base

WORK SHARP Guided Field Knife Sharpener



Includes:

1x Coarse Diamond Plate
1x Fine Diamond Plate

1x Large Ceramic Rod with 3 Positions (coarse, fine and fish hook

grooves)
1x Small Ceramic Rod
1x Leather Strop conditioned with Micro-Abrasive

Broadhead Wrench

User's Guide

WORK Pivot Pro Knife & Tool **Sharpener**



- Sharpen on convex carbide, hone on ceramic.
 Compact, packable design.
 Diamond plate for edge tools.
 Scissors & lawn tool carbide sharpener.

WORK SHARP Pivot Plus Knife Sharpener



Sharpen on convex carbide, hone on ceramic.
Compact, packable design.
Diamond rod for serrations.

WORKSHARP Pivot Knife Sharpener



SPECIFICATIONS

- Sharpen on convex carbide, hone on ceramic.
 Compact, packable design.
 Sharpen tools on diamond.

nomadiQ bbq everywhere

The Ultimate Lightweight Portable







The nomadiQ BBQ comes in a recyclable box complete with gas hose, pressure regulator, drip trays, shoulder strap and a manual. Only the gas bottle is needed for hours of grilling and fun.

You can take this lightweight gas BBQ with you anywhere, it has two separate temperature zones and is easy to clean after use. As a true outdoorsman, you can lick your fingers with this compact BBQ hit.

• Weight: 5.6kg

weignit: 5.0Kg
 Material: Aluminium, Powder Coating, Stainless steel
 Grilling Surface: 225 in² / 1460 cm²

NOMADIQBBQ - Black

NOMADIQBBQ-PINK NEW

NOMADIORRO-TERRA NEW

NOMADIQBBQ-URBAN - Grey NEW

\$527.85 inc

FLAT PLATE

Code No. NOMADIQ-FLAT PLATE \$82.20 inc

PANCAKE GRILL PLATE



ADAPTOR



NON SLIP MAT

Code No. NOMADIQ NON-SLIP MAT \$46.00 inc

CLEANING KIT

Code No. NOMADIQ-CLEAN \$39.68 inc



COVERS



NOMADIQ-POUCH - Black \$34.50 (6x 050) \$39.68 (Inc ost) \$34^{.50}(ex gst) \$39^{.68}(Inc gst) NOMADIQ-POUCH-GREEN \$34^{.50}(ex gst) \$39^{.68}(inc gst) NOMADIQ-POLICH-MARINE \$34^{.50} ex gst) \$39.68_(Inc.gst) NOMADIQ-POUCH-RED \$34.50_(ex gst) \$39^{.68}(Inc gst) NOMADIQ-POUCH-URBAN \$34^{.50}(ex gst) \$39^{.68}(inc gst) NOMADIQ-POUCH-WOOD - Woodland \$40^{.00}(ex gst) \$46.00 (inc ost NOMADIQ-POLICH-STORAGE \$27^{.50}(ex gst) \$31^{.63}(inc gst) NOMADIQ-STOVE POUCH